



Centre of Excellence



GOVT. COLLEGE SANJAULI SHIMLA – 171006, H.P. (India)

Co-Educational Institution

Affiliated to Himachal Pradesh University Shimla – 5

Website: www.gcsanjauli.edu.in

E-Mail: principalsanjauli@gmail.com

DVV Clarification


Supporting Document for 3.3.1.1

3.3.1: Number of research papers published per teacher in the Journals on UGC care list during the last five years

TABLE OF CONTENTS

I	Papers published in journals: Academic year 2017-18	Page no
1.	Dr. Vikas Nathan	4
2.	Dr. Vikas Nathan	5
3.	Dr.Kkamayani	6-7
4.	Dr. Kamayani	8-9
5.	Dr. Kamayani	10-11
6.	Dr. kamayani	12-13
7.	Dr Poonam	14
8.	Dr Poonam	15
9.	Dr. Anjana Sharma	16-17
10.	Dr. Girish Sharma	18-19
II	Papers published in journals: Academic year 2018-19	
11.	Dr. Vikas Nathan	21
12.	Dr. Vikas Nathan	22
13.	Dr. Kirti Singha	23
14.	Dr. Kirti Singha	24
15.	Dr. Kirti Singha	25
16.	Dr. Monika Chandel	26
17.	Dr. Monika Chandel	27
18.	Dr. Monika Chandel	28
19.	Dr. Poonam Chandel	29
20.	Dr. Pawan Kumar	30-31



21.	Dr. kamayani	32-34
III	Papers published in journals: Academic year 2019-20	
22.	Dr. Vikas Nathan	36
23.	Dr. Vikas Nathan	37
24.	Dr. Kirti Singha	38
25.	Dr. Kirti Singha	39
26.	Dr. Monika Chandel	40
27.	Dr. Monika Chandel	41
IV	Papers published in journals: Academic year 2020-21	
28.	Dr. Kirti Singha	43
29.	Dr. Monika Chandel	44
30.	Dr. Anjana Sharma	45
V	Papers published in journals: Academic year 2021-22	
31.	Dr. Rajesh Kumar Dhorta	47
32.	Dr. Rajesh Kumar Dhorta	48
33.	Dr. Rajesh Kumar Dhorta	49
34.	Dr. Satya Narain Snehi	50-52
35.	Dr. Satya Narain Snehi	53-55
36.	Dr. Satya Narain Snehi	56-58
37.	Dr. Ram Lal	59-61


 Principal
 Govt. College Sanjauli
 Shimla-06
 GOE, Govt. College
 Sanjauli, Shimla-6



Papers published in journals: Academic year 2017-18




Molecular interaction studies of antibiotic drug Doxycycline Hyclate with aqueous mannitol using volumetric and acoustic methods

Shashi Kant Sharma  , Vikas Nathan, Dinesh Kumar, Kamal Kishore

Show more 

+ Add to Mendeley  Share  Cite

<https://doi.org/10.1016/j.molliq.2017.01.001> 

[Get rights and content](#) 

Highlights



- Molecular interactions between Doxycycline Hyclate and mannitol are studied.
- The volumetric and acoustic methods are used to interpret results.
- Temperature variation of parameters studied
- Solute-solvent interactions are present.
- Doxycycline Hyclate behaves as a structure maker in water-mannitol system.

Abstract



The behaviour of Doxycycline Hyclate (DH) in aqueous mannitol solution was studied to explore molecular interactions at different temperatures. The volumetric and acoustic studies were used for investigating the interactions of drug Doxycycline Hyclate in water and aqueous mannitol system. The Density (ρ) and ultrasonic velocity (u) of Doxycycline Hyclate in water and in (0.1, 0.2 and 0.4) mol·kg⁻¹ aqueous solutions of mannitol have been measured at (305.15, 310.15 and 315.15K) temperatures and atmospheric pressure. The density data was analysed with the help of Masson's equation. The positive value of (Φ_V^0) for DH indicates solute-solvent interactions. The solute-solute interactions were determined from Masson's coefficient, (S_V) in water-mannitol system at different temperatures. The ultrasonic velocity data of DH in water and water-mannitol system were used to determine adiabatic compressibility (β), intermolecular free length (L_f), and specific acoustic impedance (Z). The structure making/breaking behaviour of DH in water



Molecular interaction studies of L-alanine and L-phenylalanine in water and in aqueous citric acid at different temperatures using volumetric, viscosity and ultrasonic methods

Dinesh Kumar, Shashi Kant Lomesh  , Vikas Nathan

Show more 

+ Add to Mendeley  Share  Cite

<https://doi.org/10.1016/j.molliq.2017.08.057>

[Get rights and content](#)


Highlights


- Molecular interactions between L-alanine/L-phenylalanine and aqueous citric acid are studied.
- Temperature variation of partial molar volume, Jone-Dole's coefficient B, adiabatic compressibility are studied.
- Solute-solvent interactions predominate over solute-solute interactions.
- L-Alanine behaves as structure breaker whereas L-phenylalanine behaves as a structure maker in water-citric acid system.

Abstract


Densities, ultrasonic speeds and viscosities of L-alanine and L-phenylalanine in water and in 0.1 mol·kg⁻¹ aqueous citric acid solutions were measured over the temperature range (298.15 to 313.15)K with interval of 5K at atmospheric pressure. From these experimental data apparent molar volume, limiting apparent molar volume and the slope, partial molar expansibilities, adiabatic compressibility, transfer volume, Falkenhagen coefficient, Jone-Dole's coefficient, the temperature derivative of Jone-Dole's coefficient, intermolecular free length, specific acoustic impedance, and molar compressibility were calculated. The results are interpreted in terms of solute – solute and solute-solvent interactions in these systems. It has also been observed that L-alanine acts as a structure breaker whereas L-phenylalanine acts as a structure maker in aqueous citric acid.

Dr. kamayani




Principal
Govt. College Sanjauli
Shimla-06
Principal
CCE, Govt. College
Sanjauli, Shimla-6

<i>Sodha Pravaha</i>	<i>ISSN 2231-4113</i>	<i>Vol. 8,</i>	<i>Issue II,</i>	<i>February 2018</i>
Copper(II) Complexes of Schiff Base Ligand Derived From 3-Methoxyacetylaldehyde With Semicarbazide and Thiosemicarbazid- Preparation and Biological Testing with Variation				131-140
Sanjeev Kumar, Department of Chemistry, Jai Prakash University, Chapra				
Importance of Iron in Development				141-143
Niraj Kumar, Research Scholar (Chemistry), L.N.M.U., Darbhanga				
A Study on Interventions/Provisions for Safe Guarding Child Labour				144-150
Dr. Abhijit Saha, +2 Teacher (Faculty of Commerce), D.A.V. Govt. Inter College, Sitwat, (Bihar) India				
The Action of Extremely Weak Alternating Magnetic Field at Cyclotron Frequency on Aqueous Solution of Amino Acid				151-154
Sudhakar Pasoley, Assistant Professor, Department of Physics, Govt. P.G. College, Margaha, Mizoram - 791306 (India)				
Women's Economic Independence and the Probability of Divorce: A Review and Re-examination				155-160
Swati, Research Scholar, Banarus Hindu University Varanasi UP 221005				
Children Rights with Reference to Various Provisions of the Constitution				161-166
Pravara Kumar, Research Scholar, Dept. of P.M.L.R, Patna University, Patna				
Social Development and Justice Among Dalits				167-169
Shazia Rizwan, U.G.C. NET, Research Scholar, Deptt. of Sociology, Patna University, Patna.				
Information & Communication Technology : A Conceptual Framework				170-174
Arijan Prasad Kumar, Research Scholar, Faculty of Management, B.B.A.B.U., Muzaffarpur				
Education and Skill Development: A Conceptual Framework				175-179
Santosh Kumar Saha, Research Scholar, Faculty of Management, B.B.A.B.U., Muzaffarpur				
Class Mobility in Contemporary Spoken English				180-182
Kamayani Bishri, Department of English, Govt. College, Theog, Shimla, HP				
Lachin as a Theorist of Seven Revolutions				183-188
Jay Krishna Kumar, Department of Pol. Science, B.N.M.U, Madhupur, Bihar				
The Livelihood Conditions of Handloom Weavers of Varanasi				189-195
Piyush Kumar, Research Scholar, Department of Economics, FSS, Banarus Hindu University, Varanasi, 221005				
Effect of Different Levels of Meloidogyne incognita and Nematicides on Plant Growth of Chickpea and Population Dynamics of Nematode				196-200
K. K. Singh, Department of Plant Pathology, College of Agriculture, Banda University of Agriculture Science and Technology, Banda -310001 (U.P)				
K.K.Singh, SRVM, Varanasi-221005 (U.P)				


 Principal
 Govt. College Sanjauli
 Shimla-06
 Govt. College
 Sanjauli, Shimla-6

Dr. kamayani

UGC Approved Journal No – 47299
(IIJIF) Impact Factor - 3.192

ISSN 2249 – 8907

VAICHARIKI

A Multidisciplinary Peer Reviewed Refereed International Research
Journal



Volume 8

Issue I

January 2018


Chief Editor : Dr. Manoj Kumar
Department of Sanskrit
B.R.A. Bihar University
Muzaffarpur
www.vaicharikibihar.com

E-mail : vaichariki@gmail.com

www.vaicharikibihar.blogspot.com

Kohli
Principal
Govt. College Sanjauli
Shimla-06
Principal,
G.O.E, Govt. College
Sanjauli, Shimla-6

Journal Title	Vol. 8, No. 1	Issue 1,	January 2018
Effect of Heavy Metal Contamination on the Bioaccumulation and Distribution of the Heavy Metals in the Water Column and in Living Organisms			176-180
<i>Dr. Anand Kumar, Assistant Professor, Department of Physics, Govt. P.G. College, Sonapatna, Sonapatna - 213136 (India)</i>			
Analysis of Transport System in Hajipur Town : A Geographical Study			181-185
<i>Dr. Anand Kumar, Research Scholar (JRF NET), L.N.M.U., Darbhanga</i>			
Preparation, Structural Characterization (Crystal) & Biological Characteristics of Thiosemicarbazones of Schiff Bases Derived from 4-Acyl-2-pyrazolone-5-one			186-195
<i>Surjyar Kumar, Department of Chemistry, Jai Prakash University, Chapra</i>			
Assessment of the Impact of Environmental Hazards on Livelihood : A Case Study of Madhubani District, Bihar			196-203
<i>Dr. Rakesh Kumar, Sr. Research Scholar, P. G. Dept. of Geography, L.N. Mithila University Darbhanga</i>			
Mycetozoa Micro-Organisms of <i>Sitophilus Oryzae</i> Linne (Curculionidae : Coleoptera)			204-205
<i>Fahar Prasen, Department of Zoology, H.P.S. College, Madhepur, Madhubani (Bihar)</i>			
Ayurvedic Drugs, Ayurvedic Drugs & Physical Exercises, Ayurvedic Drugs & Yogasana and their Effect on Quality of Life for Low Back Pain Subjects			206-210
<i>Anand Mahesh Pandey, Ph.D. Scholar, Department of Kayachikitsa, Faculty of Ayurveda, IMS, BHU, Varanasi</i>			
<i>Dr. Ajay Kumar Pandey, Assistant Professor, Department of Kayachikitsa, Faculty of Ayurveda, IMS, BHU, Varanasi</i>			
Developing Executive Making skills to Enhance Social Skills in Children			211-213
<i>Kohli Supriya (Ph.D), s.kohliapoo@gmail.com</i>			
Ancient Medicines and Medicinal Plants			214-218
<i>Dr. Rajni Datta, Principal Institute, Sri Rama College College, Situa (M.P.)</i>			
Telling versus Handling Fairy Tales			219-222
<i>Kamayani Puri, Department of English, Govt. College, Tinnai, Tamil Nadu</i>			
Latha and His Experiment with Non-Comprehension			223-228
<i>Jay Krishna Kumar, Department of Postgrad Studies, H.P.S. M.U. Madhepura Bihar</i>			
Agriculture and the "Literati" in Colonial Bengal			229-233
<i>Anil Kumar Pandey, Department of History</i>			


 Principal
 Govt. College Sanjauli
 Shimla-06
 GOE, Govt. College
 Sanjauli, Shimla-6

Dr. Kamayani

UGC Approved Journal No – 47168
(IJIF) Impact Factor - 3.234

ISSN 2231 – 413X

SHODH PRERAK

A Multidisciplinary Quarterly International Peer Reviewed
Refereed Research Journal

Chief Editor:

Dr. Shashi Bhushan Poddar

Editors:

Dr. Reeta Yadav

Dr. Pradeep Kumar

Volume 8

Issue II

February

2018



Published By:

**VEER BAHADUR SEVA SANSTHA
LUCKNOW**

Printed at:

F/70 South City, Rai Bareilly Road, Lucknow-226025

E-mail: shodhprerak@gmail.com, shodhprerakbbau@gmail.com


www.shodhprerak.com

Cell NO.: 09415390515, 09450245771, 08960501747

Cite this Volume as S/P, Vol. 8, Issue II, February 2018

Yashli
Principal
Govt. College Sanjauli
Shimla-06
Principal
GOE, Govt. College
Sanjauli, Shimla-6

- **Farming of Medicinal Plants in Bihar** 204-207
Mukesh Kumar Mishra, Research Scholar, Department of Botany, M.U., Bodh-Gaya
- **Effect of Copper on Branching of *Cicer arietinum*** 208-216
Madhulika Yadav, Department of Botany, T.D.P.G. College, Jaunpur U.P. (India).
- **Atrocity of Trafficking of Women and Children in India: Nature, Dimensions and Strategies for prevention:** 217-220
Dr. Mohammad Sharique, Assistant Professor, Department of Physical Education, Khwaja Moinuddin Chishti Urdu, Arabi-Farsi University, Lucknow.
- **Queer Desire in the Politics of Fairy Tales** 221-226
Kamayani Bisht, Department of English, Govt. College, Theog, Shimla
- **Environmental Degradation and Industrial Development (Geographical Study)** 227-231
Dr. Ekhtesar Ahmad Khan
- **A Comparative Study of Vital Capacity of Basketball Players at Different Levels** 232-234
Dr. Triloki Yadav, Assistant Professor, Department of Physical Education, Dr. R.M.L. Awadh University, Faizabad, U.P., India
- **Lohia's Legacy for the Left** 235-242
Jay Krishna Kumar, Deptt. of Pol. Science, B.N.M.U., Madhepura Bihar
- **Hawking Radiation From Black Holes** 243-245
Shashank Shukla, Department of Physics, B.D. Dubey Inter College, Paharpur, Pratapgarh (U.P.), India
K.K. Singh, Department of Physics, P.B. P.G. College, Pratapgarh, (U.P.), India
- **Teachers and Teaching in Bihar** 246-249
Pankaj Kumar, +2 Teacher, Town Senior Secondary School, Hajipur, Vaishali, Pin- 844101
- **The Reduction in Tree Species Diversity in Human-Impacted Tropical Evergreen Sites at Kolli Hills, Eastern Ghats, India.** 250-253
Ghulam Mustafa, Department of Botany, OPJS University, Churu, Rajasthan
- **Financial Leverage and its Impact on Value of Firm : A Case Study of Apollo Hospitals Enterprise Limited** 254-261
Dr. Rahul Kumar, Guest Faculty@ Vanijya Mahavidyalaya, Magadh Mahila College & Dae&C, Patna University, Patna
- **Human Resources Outsourcing on Organizational Performance and its Efficiency: An Overview** 262-266
Dr. Santosh Tiwari, Lecturer, Shah Faiz Public School, Ghazipur (U.P.)
- **Study on Atkinson's Theorem Related with Fredholm Operator** 267-272
Rakesh Kumar Singh, Patna University, Patna


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6

Dr. Kamayani

UGC Approved Journal No – 48728
SJIF) Impact Factor - 3.034

ISSN 2249 - 8893

Annals of Multi-Disciplinary Research
A Quarterly International Peer Reviewed Refereed Research Journal



Volume 8

Issue III

April 2018

Editor
Dr. Sarvesh Kumar
UPRTOU Allahabad


Chief Editor
Dr. R. P.S. Yadav
Incharge Director,
School of Humanities
UPRTOU Allahabad
www.annalsmdresearch.com

Yashli
Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

- **Election Commission: Powerful or Weak Body in India?** 15
Dimpal Goyal, Formerly, Assistant Professor, Vaish Institute of Management & Technology, Rohtak, Haryana; Formerly, Assistant Professor, Adarsh Mahila Mahavidyalaya, Bhiwani, Haryana
- **Post Colonialism in Literary Theory** 16
Dr. Amit Kumar Sahani, Assistant Professor, Faculty of Teacher Education Nehru Gram Bharti University, Allahabad
- **Rural Marketing in India-Problems and Prospects** 16
Dr. Umesh Dwivedi, Department of Commerce & Business Administration, University of Allahabad, Allahabad
- **Data Hiding Techniques using Steganography and Cryptography** 11
Udit Narayan, M.tech, Computer Science, and Technology, Central University of Punjab
- **Rising Threat of Methane Emission in India : A Brief Overview** 17
Poonam Shukla, Assistant Professor H.N.B Allahabad
Varuni Pathak, Ph.D. Research Scholar C.S.R.D., J.N.U.
Aditi Pathak, Allahabad University
- **Problems and Prospects of Livestock Management in Banda District** 1
Anil Kumar Yadav, Research Scholar, Geography Department, University of Allahabad, Allahabad
Dr. A.R. Siddiqui, Professor in Geography Department, University of Allahabad, Allahabad
- **Effect of Anthropogenic Activities on Ground water quality at Varanasi** 1
Sanju Dwivedi, Department of Chemistry, S.M.W College, Kerakatpur Lohia Varanasi
- **Re-visiting South's Failure to Pursue Conditional Diplomacy in Uruguay Round** 2
Professor Sanjay Srivastava, Department of Political Science, Banaras Hindu University, Varanasi
- **We: the Media's Text** - 208-211
Kamayani Bisht, Govt. College, Theog, Shimla, Himachal Pradesh
- **Factors Influencing Sports Career of Lawn Tennis Players** ;
Mithlesh Kumar Singh, Research Scholar, Department of Physical Education, Banaras Hindu University-221005.
Prof. Abhimanyu Singh, Professor, Department of Physical Education, Banaras Hindu University-221005.
Pramod Kumar Yadav, Research Scholar, Department of Physical Education, Mahatma Gandhi Kashi Vidyapith.
- **Role of Cyanobacteria**
Dr. Awadhesh Kumar Singh, Associate Professor, Department of Agricultural Chemistry, Post Graduate College, Ghazipur

Yashli
Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6


Dr. Poonam Verma



INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS | ISSN: 2320 - 2882
An International Open Access Journal

The Board of
International Journal of Creative Research Thoughts
Is hereby awarding this certificate to
Dr. Urmil Rawat
In recognition of the publication of the paper entitled
ACTUALISATION OF SELF IN SUZETTE HADEN ELGIN'S NATIVE TONGUE
Published In IJCRT (www.ijert.org) ISSN UGC Approved & 5.97 Impact Factor
Volume 6 Issue 1 March 2018

PAPER ID : IJCRT1802825
Registration ID : 183728



JGC and ISSN Approved International Peer Reviewed Journal, Refereed Journal, Indexed Journal, Impact Factor: 5.97, ISSN: 2320-2882


INTERNATIONAL JOURNAL OF CREATIVE RESEARCH THOUGHTS | IJCRT
An International Open Access Journal | Approved by ISSN and UGC
Website: www.ijert.org | Email ID: editor@ijert.org | ESTD: 2013

IJCRT | ISSN: 2320-2882

Urmil
EDITOR IN CHIEF

Yashli
Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

Dr. Poonam Verma



Yashvi
Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6



2019

Means, moments and Newton's inequalities

R. Sharma, A. Sharma, R. Saini, G. Kapoor

Rocky Mountain J. Math. 49(5): 1667-1677 (2019). DOI: 10.1216/RMJ-2019-49-5-1667

ABOUT

FIRST PAGE

CITED BY

REFERENCES

Abstract

It is shown that Newton's inequalities and the related Maclaurin's inequalities provide several refinements of the fundamental arithmetic-geometric-harmonic mean inequality and Sierpinski's inequality in terms of the means and variance of positive real numbers. We also obtain some inequalities involving third and fourth central moments of real numbers.

JOURNAL ARTICLE

11 PAGES

This article is only available to subscribers.
It is not available for individual sale.


SAVE TO MY LIBRARY



SHARE



GET CITATION


Principal
Govt. College Sanjauli
Shimla-06
Principal
Govt. College
Sanjauli, Shimla-6

MEANS, MOMENTS AND NEWTON'S INEQUALITIES

R. SHARMA, A. SHARMA, R. SAINI AND G. KAPOOR

ABSTRACT. It is shown that Newton's inequalities and the related Maclaurin's inequalities provide several refinements of the fundamental arithmetic-geometric-harmonic mean inequality and Sierpinski's inequality in terms of the means and variance of positive real numbers. We also obtain some inequalities involving third and fourth central moments of real numbers.

1. Introduction. Let x_1, x_2, \dots, x_n denote n real numbers. Their r th moment and r th central moments are, respectively, the numbers

$$(1.1) \quad m'_r = \frac{1}{n} \sum_{i=1}^n x_i^r$$

and

$$(1.2) \quad m_r = \frac{1}{n} \sum_{i=1}^n (x_i - m'_1)^r,$$

where $r = 1, 2, \dots$. Note that $m_1 = 0$, m'_1 is the arithmetic mean and m_2 is the variance of n real numbers x_1, x_2, \dots, x_n . It is customary to denote m'_1 and m_2 , respectively, by A and s^2 . The geometric mean (G) and harmonic mean (H) of n positive real numbers x_1, x_2, \dots, x_n are, respectively, the numbers

$$G = \left(\prod_{i=1}^n x_i \right)^{1/n} \quad \text{and} \quad H = \left(\frac{1}{n} \sum_{i=1}^n \frac{1}{x_i} \right)^{-1}.$$

The k th elementary symmetric function C_k of x_1, x_2, \dots, x_n is the sum of the products taken k at a time of different x_i 's. The k th elementary

2010 AMS *Mathematics subject classification.* Primary 60E15.

Keywords and phrases. Arithmetic mean, geometric mean, moments, Newton's identities.


This research was supported by the UGC-SAP.

Received by the editors on April 1, 2017, and in revised form on May 4, 2017.

DOI:10.1216/RMJ-2019-49-5-1667

Copyright ©2019 Rocky Mountain Mathematics Consortium

1667


Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6



BROWSE ▾ RESOURCES ▾ ABOUT ▾

ADVANCED SEARCH

Search



Home > Journals > Rocky Mountain J. Math. > Volume 49 > Issue 5 > Article

Select Language ▾

Translator Disclaimer

2019

Means, moments and Newton's inequalities

R. Sharma, A. Sharma, R. Saini, G. Kapoor

Rocky Mountain J. Math. 49(5): 1667-1677 (2019). DOI: 10.1216/RMJ-2019-49-5-1667

ABOUT

FIRST PAGE

CITED BY

REFERENCES

Abstract

It is shown that Newton's inequalities and the related Maclaurin's inequalities provide several refinements of the fundamental arithmetic-geometric-harmonic mean inequality and Sierpinski's inequality in terms of the means and variance of positive real numbers. We also obtain some inequalities involving third and fourth central moments of real numbers.

JOURNAL ARTICLE

11 PAGES

This article is only available to subscribers.
It is not available for individual sale.


SAVE TO MY LIBRARY



SHARE



GET CITATION


Principal
Govt. College Sanjauli
Shimla-06
Principal
GOE, Govt. College
Sanjauli, Shimla-6

MEANS, MOMENTS AND NEWTON'S INEQUALITIES

R. SHARMA, A. SHARMA, R. SAINI AND G. KAPOOR

ABSTRACT. It is shown that Newton's inequalities and the related Maclaurin's inequalities provide several refinements of the fundamental arithmetic-geometric-harmonic mean inequality and Sierpinski's inequality in terms of the means and variance of positive real numbers. We also obtain some inequalities involving third and fourth central moments of real numbers.

1. Introduction. Let x_1, x_2, \dots, x_n denote n real numbers. Their r th moment and r th central moments are, respectively, the numbers

$$(1.1) \quad m'_r = \frac{1}{n} \sum_{i=1}^n x_i^r$$

and

$$(1.2) \quad m_r = \frac{1}{n} \sum_{i=1}^n (x_i - m'_1)^r,$$

where $r = 1, 2, \dots$. Note that $m_1 = 0$, m'_1 is the arithmetic mean and m_2 is the variance of n real numbers x_1, x_2, \dots, x_n . It is customary to denote m'_1 and m_2 , respectively, by A and s^2 . The geometric mean (G) and harmonic mean (H) of n positive real numbers x_1, x_2, \dots, x_n are, respectively, the numbers

$$G = \left(\prod_{i=1}^n x_i \right)^{1/n} \quad \text{and} \quad H = \left(\frac{1}{n} \sum_{i=1}^n \frac{1}{x_i} \right)^{-1}.$$

The k th elementary symmetric function C_k of x_1, x_2, \dots, x_n is the sum of the products taken k at a time of different x_i 's. The k th elementary

2010 AMS *Mathematics subject classification.* Primary 60E15.

Keywords and phrases. Arithmetic mean, geometric mean, moments, Newton's identities.


This research was supported by the UGC-SAP.

Received by the editors on April 1, 2017, and in revised form on May 4, 2017.

DOI:10.1216/RMJ-2019-49-5-1667

Copyright ©2019 Rocky Mountain Mathematics Consortium

1667


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6



Papers published in journals: Academic year 2018-19



Physicochemical approach to study the solute-solute and solute-solvent interactions of drug Levofloxacin hemihydrate in aqueous sorbitol solutions at different temperatures: Volumetric, acoustic and conductance studies

Shashi Kant Lomesh  , Madhu Bala, Vikas Nathan

Show more 

+ Add to Mendeley  Share  Cite

<https://doi.org/10.1016/j.molliq.2019.03.055>


[Get rights and content](#) 

Highlights

- Different possible interactions between LFH in water and aqueous sorbitol systems are studied.
- The various possible interactions are interpreted using volumetric, acoustic and conductance studies.
- Solute-solvent interactions predominate over solute-solute interactions.
- All these studies confirmed the structure maker behaviour of LFH in water and water-sorbitol system.

Abstract

The interactions of third generation fluoroquinolone antibiotic drug Levofloxacin hemihydrate (LFH) with the naturally occurring polyol i.e. sorbitol as a function of temperature have been investigated by volumetric, acoustic and conductance methods. Densities, speeds of sound and conductance values of LFH ($0.001-0.01 \text{ mol}\cdot\text{kg}^{-1}$) in water and aqueous sorbitol ($0.002, 0.004$ and $0.006 \text{ mol}\cdot\text{kg}^{-1}$) have been measured at different temperatures ($300.15, 305.15, 310.15$ and 315.15 K). The experimental density data was used to calculate apparent molar volume (Φ_V), limiting apparent molar volume (Φ_V^0), Masson's coefficient (S_V), partial molar expansibilities (Φ_E^0), transfer volume $\Delta_T\Phi_V^0$ and


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla



Contents lists available at ScienceDirect

Journal of Molecular Liquids

journal homepage: www.elsevier.com/locate/molliq

Volumetric and acoustic methods for investigating molecular interactions of antibiotic drug doxycycline hyclate in water and in aqueous solution of sodium chloride and potassium chloride at different temperatures (293.15–313.15) K

Shashi Kant Lomesh, Vikas Nathan *, Madhu Bala, Poonam Thakur

Himachal Pradesh University, Summer Hill, Shimla 171005, India

ARTICLE INFO

Article history:

Received 17 October 2018

Received in revised form 21 March 2019

Accepted 2 April 2019

Available online 5 April 2019

Keywords:

Doxycycline hyclate

Apparent molar volume

Apparent molar isentropic compression

Transfer properties

Acoustic properties

Molecular interactions

ABSTRACT

The solution properties of antibiotic drug Doxycycline Hyclate (DH) were investigated to explore molecular interactions with aqueous NaCl and KCl solutions around their physiological cell concentrations at different temperatures. Apparent molar properties i.e. apparent molar volume (ϕ_V) and apparent molar isentropic compression (ϕ_K) for DH within the concentration range (0.0020–0.0140) mol·kg⁻¹ in water and in (0.005, 0.012 and 0.140) mol·kg⁻¹ aqueous NaCl and KCl solutions were calculated from experimentally measured densities (ρ) and Ultrasonic speed (u) values at $T = (293.15, 298.15, 303.15, 308.15$ and $313.15)$ K temperatures and at $P = 0.1$ MPa pressure. The data of apparent molar properties were utilised to obtain various derived parameters such as limiting apparent molar volume, (ϕ_V^0), limiting apparent molar isentropic compression, (ϕ_K^0), limiting apparent molar volume of transfer, $\Delta\phi_V^0$, limiting apparent molar isentropic compression of transfer, $\Delta\phi_K^0$, limiting apparent molar expansibility, ϕ_E^0 , and thermal expansion coefficient, α . The structure making/breaking ability of DH in aqueous NaCl and KCl were determined on the basis of Hepler's Equation i.e. on the basis of sign of $(\frac{d^2\phi_V^0}{dT^2})_P$. The results obtained from all these thermodynamic parameters were discussed in terms of solute-solute and solute-solvent interactions in these systems. The volumetric, compressibility and acoustic data suggests the existence of strong solute-solvent interactions in the studied systems.

© 2019 Published by Elsevier B.V.

1. Introduction

Drug as defined in pharmacology, a chemical substance used in the treatment, cure, prevention or diagnosis of disease or used to otherwise enhance physical or mental well-being [1,2]. Physicochemical properties of drugs are important to understand the drug action at the molecular level [3,4]. The binding tendencies of biologically important molecules in the presence of various solvents can be interpreted by studying their physicochemical properties [4–6]. Interaction of drugs with physiologically important molecules in the living organism i.e. in blood, membranes, intra- and extra-cellular fluids are of utmost significance to understand the pharmacodynamics and pharmacokinetics of drugs [7,8]. These interactions may include ionic, covalent, charge transfer, hydrogen bonding, ion-dipole interactions, or hydrophobic hydration [9,10]. Several thermodynamic and physicochemical measurements for drugs in aqueous solutions and in liquid mixtures have been carried

out to understand the nature of molecular interactions existing in these systems [11,12]. The study of aqueous phase chemistry of drugs in the presence of biologically important molecules including proteins, amino acids, peptides, electrolytes, carbohydrates, metal ions, colloidal micelles [13] and bionanomaterials as drug delivery tools [14] etc. by thermodynamic and volumetric methods constitute an important topic of research due to their important function in the fields related to biology, medicine, target drug delivery, cosmetics etc. [15].

The Tetracyclines referred to as broad-spectrum antibiotics, due to their ability to fight many different types of bacteria (Gram-positive and Gram-negative bacteria), made up of four fused rings are one of the most important class of drugs, as they are not only used as antibiotic agents but also have novel multiple therapeutic potential [16,17]. DH, (see Fig. 1(a) and (b)) a non Newtonian, synthetic broad spectrum antibiotic used for the treatment of many bacterial infections, such as urinary tract infections, acne, gonorrhoea, Anthrax, Lyme disease, Plague, *P. falciparum* (malaria) and periodontitis is an active tetracycline class medicament that shows powerful effect against infections caused by several micro-organisms groups such as *Haemophilus ducreyi*, *Yersinia pestis*, *Legionella*, *Chlamydia*, *Mycoplasma* and *Borrelia* [18,19].

* Corresponding author.

E-mail address: vikasnathan2@gmail.com (V. Nathan).

Vikas Nathan
Principal
Govt. College Sanjauli
Shimla-6
Govt. College
Sanjauli, Shimla-6



Influence of Ho–Ni–Mn substitution on the structural and magnetic behavior of Ba–Sr Co₂Z-type nanohexaferrites extension up to Mossbauer investigations

Kirti Singha¹ · Virender Pratap Singh^{1,2} · Monika Chandel¹ · Nain Jeet Singh Negi³ · Susheel Kalia⁴ · R. K. Kotnala⁵Received: 2 August 2019 / Accepted: 23 October 2019
© Springer-Verlag GmbH Germany, part of Springer Nature 2019

Abstract

A series of Co₂Z-type Ba–Sr nanohexaferrites Ba_{1.5}Sr_{1.5}Co_{2-z}Ho_zMn_xNi_yFe_{24-x-y}O₄₁ (z = 0.0, 0.05, 0.10, 0.15, 0.20, x = y = 0.0, 0.25, 0.5, 0.75, 1.00) have been synthesized using sol–gel auto-combustion synthesis route. The effect of Ho–Ni–Mn substitutions on crystallographic and magnetic properties of synthesized nanohexaferrites was investigated using XRD, VSM, and Mössbauer spectroscopy. Microstructural analysis showed single-phase crystal structures without any impurities and hexagonal with the space group *P63/mmc*. The average variation in crystallite size ranges from 43 to 60 nm with a slight increase in X-ray density and appreciable decrease in porosity was observed for different dopants. FE-SEM (Nova Nano SEM-450) substantiates the hexagonal structure and HR-TEM images assisted with SAED pattern confirm the crystalline quality and FWHM of the material, which significantly support the XRD results. FTIR spectra showed two characteristic metal stretching peaks in the range of 400–600 cm⁻¹ due to the substitution of Ho–Ni–Mn. Magnetic measurements show maximum magnetic saturation (*M_s*) at 44.04 emu g⁻¹ and elevated value of coercivity (*H_c*) 2240e imparting typical characteristics of soft ferrite with high coercivity. Mössbauer analysis with least squares fit sextets of six distinguishable sites at room temperature for all samples substantially supports the results of VSM. The materials with large coercivity are useful in permanent magnet applications. The prepared composites could be useful for applications in microwave absorbing materials, magnetic storage, and the miniaturization of antennas for wireless communication devices.

1 Introduction

Hexaferrites are magnetic iron oxides possessing hexagonal structure. The magnetic behavior of these materials is considerably related to their crystal structures and is ferrimagnetic. Magnetocrystalline anisotropy (MCA) is one of the important characteristics of these materials initiated from

the induced magnetization and has a preferred orientation inside the crystal structure. The Z-type ferrites belong to the families of hexagonal ferrites, generally denoted as Co₂Z and have chemical composition Ba₃Me₂Fe₂₄O₄₁, where Me is a divalent transition metal ion. These ferrites have planar magnetic anisotropy even at room temperature and a much higher magnetic storage capacity than spinel ferrites in the high-frequency region (over 1 GHz). Therefore, the utilization of Ba₃Co₂Z ferrite to produce microwave frequency devices has been reported such as inductors, isolators, and communication devices in the high-frequency region [1]. Z-type hexaferrites are interesting materials for more exciting applications, because of their dynamic structural and magnetic properties, besides their scope as magnetic recording, data storage materials, and high-frequency applications. Several research studies have been reported to improve the magnetic properties of Ba hexaferrite by substituting the various ions such as Zn²⁺, Ni²⁺, La³⁺, and Al³⁺ in Co²⁺ and Fe³⁺ in the crystal structure of hexaferrite [2–4]. Moreover, elemental doping is an efficient way to modify the magnetocrystalline structures of Co₂Z-type hexaferrites and therefore changes

✉ Virender Pratap Singh
kunwar.virender@gmail.com

✉ Susheel Kalia
susheel.kalia@gmail.com

¹ School of Physics, Shoolini University, Bajhol, Solan, India


² Government Degree College, Nadaun, Hamirpur, HP, India


³ Department of Physics, Himachal Pradesh University, Shimla, India

⁴ Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India

⁵ CSIR-National Physical Laboratory, Dr. K.S. Krishnan Road, Pusa, New Delhi, India

Published online: 08 November 2019


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli Shimla-6



Analysis of Cd²⁺ and In³⁺ ions doping on microstructure, optical, magnetic and mössbauer spectral properties of sol-gel synthesized BaM hexagonal ferrite based nanomaterials

Rohit Jasrotia^{a,b}, Virender Pratap Singh^{a,d,*}, Rajesh Kumar^{a,b}, Kirti Singha^a, Monika Chandel^a, Mahavir Singh^c

^a School of Physics & Materials Science, Shoolini University, Solan, India

^b Himalayan Centre of Excellence in Nanotechnology, Shoolini University, Solan, India

^c Department of Physics & Materials Science, Himachal Pradesh University, Shimla, India

^d Department of Physics, Govt. Degree College, Nerwa (Shimla), Himachal Pradesh, India

ARTICLE INFO

Keywords:

Barium neodymium nanoparticles
Sol-gel
Structural and optical analysis
Magnetic measurements
Mössbauer spectra

ABSTRACT

Precise studies of cadmium and indium doped barium hexagonal ferrites having chemical composition Ba_{0.7}Nd_{0.3}Cd_{x/2}In_{x/2}Fe_{1.2-x}O₁₉ (x = 0.0, 0.1, 0.2, 0.3) have been performed by sol-gel auto-combustion method in which ethylene glycol was used as a gel precursor. The structural, morphological, optical, elemental and magnetic properties have been studied by using various techniques like XRD, FESEM, FTIR, EDS and VSM. The XRD patterns shows characteristic (110), (008), (107), (114), (108), (203), (205), (206), (1011), (300), (217), (2011), (220), (2014) peaks along with the presence of secondary phase confirming the formation of hexagonal structure with an average crystallite size of 43–59 nm. FESEM supports the formation of hexagonal, dense and agglomerated nanoparticles. The Vibronic study using infrared radiation was carried by FTIR analysis reveal the various configuration modes with hexagonal symmetry of prepared nanoparticles. The magnetic measurements have been studied at room temperature indicates that saturation magnetization (M_s) and magnetic moment (n_B) found to be of range 40–86 emu/g and 7.97–17.23 μ_B. The precise magnetic studies made it possible to reveal that

saturation magnetization (M_s) increases with the cadmium and indium concentration for x = 0.1 and after that it decreases for x = 0.2, 0.3 which may be due to the difference in the magnetic moments of Cd, In and Fe ions. Due to high value of saturation magnetization (M_s), it can be used for applications in the field of high density recording storage devices and also, this magnetic change has been explained on the basis of exchange interactions. The room temperature Mössbauer spectra of all the nano-sized materials shows normal Zeeman splitting consisting of six merged line patterns which indicates the formation of ferromagnetic phase that supports the magnetic properties.

Introduction

An iron ore based on iron (III) oxide known as magnetite (Fe₂O₃), called ferrites with combination of divalent cation Me having composition MeFe₂O₄. Each synthesized sample has its own advantages and disadvantage on the basis of various parameters related to different properties of prepared samples [1]. The optimum parameters like crystalline size, grain size, configuration modes, resistivity, dielectric constant, dielectric loss, magnetic loss factor, saturation magnetization, coercivity, remanent magnetization, magnetic moment etc. will depend upon the sintering temperature [2], type of dopants and preparation technique [3] for synthesizing samples. The ferrites are classified into

two categories on the basis of chemistry of magnetism as hard and soft ferrites. On the basis of their structure, ferrites are classified into four categories as spinel, gamet, ortho and hexagonal. The compounds with hexagonal crystal structure are called hexagonal ferrites or hexaferrites. Hexagonal ferrites gain much attention due to its various applications as many tonnes of magnetic materials are produced by using these hexaferrites world widely [4]. All hexaferrites are ferrimagnetic in nature and due to induced magnetization within the crystal structure; they have preferred orientation, which divide them into two groups: First is known as uniaxial hexaferrites having an easy axis of magnetization and second is known as ferroxplana or hexaplana ferrites having an easy plane or cone of magnetization. The hexagonal ferrites

* Corresponding author at: School of Physics & Materials Science, Shoolini University, Solan, India.

E-mail address: kunwar.virender@gmail.com (V. Pratap Singh).

<https://doi.org/10.1016/j.rinp.2019.01.088>

Received 16 December 2018; Received in revised form 30 January 2019; Accepted 30 January 2019

Available online 04 February 2019

2211-3797/ © 2019 Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license

(<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6



Review

A review on structural, electrical and magnetic properties of Y-type hexaferrites synthesized by different techniques for antenna applications and microwave absorbing characteristic materials

Monika Chandel¹, Virender Pratap Singh^{1,2,*}, Rohit Jasrotia^{1,*}, Kirti Singha¹ and Rajesh Kumar¹

¹ School of Physics, Shoolini University, Bajhol, Solan, H.P., India

² Govt. Degree College, Nadaun (Hamirpur) HP, India


* Correspondence: Email: rohitsinghjasrotia4444@gmail.com, kunwar.virender@gmail.com;
Tel: +919625233301.

Abstract: In the present review paper, we have explained the structure of Y-type hexagonal ferrite and various synthesis techniques. This paper also includes structural, electrical, magnetic properties and applications of Y-type hexaferrites and focusses on their use in antenna applications and microwave absorbing characteristic materials. Ferromagnetic nature of hexaferrites cause the induction of magnetisation within the crystal structure, which divide them into two groups: First with easy axis of magnetisation is known as uniaxial hexaferrites and second is known as ferroplana having easy plane of magnetisation. The excellent magnetic properties of Y-type ferrites make them useful in the devices operating at high frequency range. The persistence of high refractive index upto 1 GHz enables these hexagonal ferrites useful in UHF antenna designs with small dimensions.

The doping in Y-type hexaferrites affect all the properties. Current developments in Y-type hexaferrites will be explained in detail in the review of literature related to Y-type hexaferrites for the last 25 years, i.e. from 1994 to 2019 in this review paper.

Keywords: Y-type hexaferrite; structural properties; applications of ferrites; microwave absorbing properties and antenna applications

Abbreviations: μ_r : relative permeability (μ = magnetic permeability); ϵ_r : relative permittivity; ρ : density, in $\text{g}\cdot\text{cm}^{-3}$; B: applied magnetic field (flux density), in SI units of T; dB: decibel, a


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6



Influence of Ho–Ni–Mn substitution on the structural and magnetic behavior of Ba–Sr Co₂Z-type nanohexaferrites extension up to Mossbauer investigations

Kirti Singha¹ · Virender Pratap Singh^{1,2} · Monika Chandel¹ · Nain Jeet Singh Negi³ · Susheel Kalia⁴ · R. K. Kotnala⁵Received: 2 August 2019 / Accepted: 23 October 2019
© Springer-Verlag GmbH Germany, part of Springer Nature 2019

Abstract

A series of Co₂Z-type Ba–Sr nanohexaferrites Ba_{1.5}Sr_{1.5}Co_{2-z}Ho_zMn_xNi_yFe_{24-x-y}O₄₁ (z = 0.0, 0.05, 0.10, 0.15, 0.20, x = y = 0.0, 0.25, 0.5, 0.75, 1.00) have been synthesized using sol–gel auto-combustion synthesis route. The effect of Ho–Ni–Mn substitutions on crystallographic and magnetic properties of synthesized nanohexaferrites was investigated using XRD, VSM, and Mössbauer spectroscopy. Microstructural analysis showed single-phase crystal structures without any impurities and hexagonal with the space group *P63/mmc*. The average variation in crystallite size ranges from 43 to 60 nm with a slight increase in X-ray density and appreciable decrease in porosity was observed for different dopants. FE-SEM (Nova Nano SEM-450) substantiates the hexagonal structure and HR-TEM images assisted with SAED pattern confirm the crystalline quality and FWHM of the material, which significantly support the XRD results. FTIR spectra showed two characteristic metal stretching peaks in the range of 400–600 cm⁻¹ due to the substitution of Ho–Ni–Mn. Magnetic measurements show maximum magnetic saturation (*M_s*) at 44.04 emu g⁻¹ and elevated value of coercivity (*H_c*) 2240e imparting typical characteristics of soft ferrite with high coercivity. Mössbauer analysis with least squares fit sextets of six distinguishable sites at room temperature for all samples substantially supports the results of VSM. The materials with large coercivity are useful in permanent magnet applications. The prepared composites could be useful for applications in microwave absorbing materials, magnetic storage, and the miniaturization of antennas for wireless communication devices.

1 Introduction

Hexaferrites are magnetic iron oxides possessing hexagonal structure. The magnetic behavior of these materials is considerably related to their crystal structures and is ferrimagnetic. Magnetocrystalline anisotropy (MCA) is one of the important characteristics of these materials initiated from

the induced magnetization and has a preferred orientation inside the crystal structure. The Z-type ferrites belong to the families of hexagonal ferrites, generally denoted as Co₂Z and have chemical composition Ba₃Me₂Fe₂₄O₄₁, where Me is a divalent transition metal ion. These ferrites have planar magnetic anisotropy even at room temperature and a much higher magnetic storage capacity than spinel ferrites in the high-frequency region (over 1 GHz). Therefore, the utilization of Ba₃Co₂Z ferrite to produce microwave frequency devices has been reported such as inductors, isolators, and communication devices in the high-frequency region [1]. Z-type hexaferrites are interesting materials for more exciting applications, because of their dynamic structural and magnetic properties, besides their scope as magnetic recording, data storage materials, and high-frequency applications. Several research studies have been reported to improve the magnetic properties of Ba hexaferrite by substituting the various ions such as Zn²⁺, Ni²⁺, La³⁺, and Al³⁺ in Co²⁺ and Fe³⁺ in the crystal structure of hexaferrite [2–4]. Moreover, elemental doping is an efficient way to modify the magnetocrystalline structures of Co₂Z-type hexaferrites and therefore changes

✉ Virender Pratap Singh
kunwar.virender@gmail.com

✉ Susheel Kalia
susheel.kalia@gmail.com

¹ School of Physics, Shoolini University, Bajhol, Solan, India


² Government Degree College, Nadaun, Hamirpur, HP, India


³ Department of Physics, Himachal Pradesh University, Shimla, India

⁴ Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India

⁵ CSIR-National Physical Laboratory, Dr. K.S. Krishnan Road, Pusa, New Delhi, India

Published online: 08 November 2019


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-06


 Springer



Contents lists available at ScienceDirect

Results in Physics

journal homepage: www.elsevier.com/locate/rinp



Analysis of Cd²⁺ and In³⁺ ions doping on microstructure, optical, magnetic and mössbauer spectral properties of sol-gel synthesized BaM hexagonal ferrite based nanomaterials

Rohit Jasrotia^{a,b}, Virender Pratap Singh^{a,d,*}, Rajesh Kumar^{a,b}, Kirti Singha^a, Monika Chandel^a, Mahavir Singh^c

^a School of Physics & Materials Science, Shoolini University, Solan, India

^b Himalayan Centre of Excellence in Nanotechnology, Shoolini University, Solan, India

^c Department of Physics & Materials Science, Himachal Pradesh University, Shimla, India

^d Department of Physics, Govt. Degree College, Nerwa (Shimla), Himachal Pradesh, India

ARTICLE INFO

Keywords:

Barium neodymium nanoparticles
Sol-gel
Structural and optical analysis
Magnetic measurements
Mössbauer spectra

ABSTRACT

Precise studies of cadmium and indium doped barium hexagonal ferrites having chemical composition Ba_{0.7}Nd_{0.3}Cd_{x/2}In_{x/2}Fe_{1.2-x}O₁₉ (x = 0.0, 0.1, 0.2, 0.3) have been performed by sol-gel auto-combustion method in which ethylene glycol was used as a gel precursor. The structural, morphological, optical, elemental and magnetic properties have been studied by using various techniques like XRD, FESEM, FTIR, EDS and VSM. The XRD patterns shows characteristic (110), (008), (107), (114), (108), (203), (205), (206), (1011), (300), (217), (2011), (220), (2014) peaks along with the presence of secondary phase confirming the formation of hexagonal structure with an average crystallite size of 43–59 nm. FESEM supports the formation of hexagonal, dense and agglomerated nanoparticles. The Vibronic study using infrared radiation was carried by FTIR analysis reveal the various configuration modes with hexagonal symmetry of prepared nanoparticles. The magnetic measurements have been studied at room temperature indicates that saturation magnetization (M_s) and magnetic moment (n_B) found to be of range 40–86 emu/g and 7.97–17.23 μ_B. The precise magnetic studies made it possible to reveal that

saturation magnetization (M_s) increases with the cadmium and indium concentration for x = 0.1 and after that it decreases for x = 0.2, 0.3 which may be due to the difference in the magnetic moments of Cd, In and Fe ions. Due to high value of saturation magnetization (M_s), it can be used for applications in the field of high density recording storage devices and also, this magnetic change has been explained on the basis of exchange interactions. The room temperature Mössbauer spectra of all the nano-sized materials shows normal Zeeman splitting consisting of six merged line patterns which indicates the formation of ferromagnetic phase that supports the magnetic properties.

Introduction

An iron ore based on iron (III) oxide known as magnetite (Fe₂O₃), called ferrites with combination of divalent cation Me having composition MeFe₂O₄. Each synthesized sample has its own advantages and disadvantage on the basis of various parameters related to different properties of prepared samples [1]. The optimum parameters like crystalline size, grain size, configuration modes, resistivity, dielectric constant, dielectric loss, magnetic loss factor, saturation magnetization, coercivity, remanent magnetization, magnetic moment etc. will depend upon the sintering temperature [2], type of dopants and preparation technique [3] for synthesizing samples. The ferrites are classified into

two categories on the basis of chemistry of magnetism as hard and soft ferrites. On the basis of their structure, ferrites are classified into four categories as spinel, gamet, ortho and hexagonal. The compounds with hexagonal crystal structure are called hexagonal ferrites or hexaferrites. Hexagonal ferrites gain much attention due to its various applications as many tonnes of magnetic materials are produced by using these hexaferrites world widely [4]. All hexaferrites are ferrimagnetic in nature and due to induced magnetization within the crystal structure; they have preferred orientation, which divide them into two groups: First is known as uniaxial hexaferrites having an easy axis of magnetization and second is known as ferroplana or hexaplana ferrites having an easy plane or cone of magnetization. The hexagonal ferrites


* Corresponding author at: School of Physics & Materials Science, Shoolini University, Solan, India.
E-mail address: kunwar.virender@gmail.com (V. Pratap Singh).

<https://doi.org/10.1016/j.rinp.2019.01.088>

Received 16 December 2018; Received in revised form 30 January 2019; Accepted 30 January 2019

Available online 04 February 2019

2211-3797/ © 2019 Published by Elsevier B.V. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6

Review

A review on structural, electrical and magnetic properties of Y-type hexaferrites synthesized by different techniques for antenna applications and microwave absorbing characteristic materials

Monika Chandel¹, Virender Pratap Singh^{1,2,*}, Rohit Jasrotia^{1,*}, Kirti Singha¹ and Rajesh Kumar¹

¹ School of Physics, Shoolini University, Bajhol, Solan, H.P., India

² Govt. Degree College, Nadaun (Hamirpur) HP, India


* Correspondence: Email: rohitsinghjasrotia4444@gmail.com, kunwar.virender@gmail.com;
Tel: +919625233301.

Abstract: In the present review paper, we have explained the structure of Y-type hexagonal ferrite and various synthesis techniques. This paper also includes structural, electrical, magnetic properties and applications of Y-type hexaferrites and focusses on their use in antenna applications and microwave absorbing characteristic materials. Ferromagnetic nature of hexaferrites cause the induction of magnetisation within the crystal structure, which divide them into two groups: First with easy axis of magnetisation is known as uniaxial hexaferrites and second is known as ferroplana having easy plane of magnetisation. The excellent magnetic properties of Y-type ferrites make them useful in the devices operating at high frequency range. The persistence of high refractive index upto 1 GHz enables these hexagonal ferrites useful in UHF antenna designs with small dimensions.

The doping in Y-type hexaferrites affect all the properties. Current developments in Y-type hexaferrites will be explained in detail in the review of literature related to Y-type hexaferrites for the last 25 years, i.e. from 1994 to 2019 in this review paper.

Keywords: Y-type hexaferrite; structural properties; applications of ferrites; microwave absorbing properties and antenna applications

Abbreviations: μ_r : relative permeability (μ = magnetic permeability); ϵ_r : relative permittivity; ρ : density, in $\text{g}\cdot\text{cm}^{-3}$; B: applied magnetic field (flux density), in SI units of T; dB: decibel, a


Principal
Govt. College Sanjauli
Shimla-6
Govt. College
Sanjauli, Shimla-6

Turbulent Kashmir: Unresolved issue of the Partition

Poonam Chandel
Department of Political Science
Government College Sanjauli,
(Center of Excellence), Shimla

The 200 year long British rule came to an end on August 15, 1947 with the Partition of India into two nations, namely Pakistan and India. It was a violent separation of communities who had lived together for generations. This tragic divide claimed thousands of lives, displaced millions and left behind it the legacy of the disputed Kashmir issue, which is still unresolved. Because of this dispute the two countries are spending huge sums of money on arms and this phenomenon has greatly affected the economic development of both the countries. Insurgency and terrorism fuelled by Pakistan to create instability in the region to pressurize India for Kashmir's merger with Pakistan has its roots in the great divide of 1947. In this contest the quest of the paper would be to find out the factors which led to and widened this devastating divide and to explore ways and possible solutions to the Kashmir dispute, for lasting peace in the region and better relations between India and Pakistan.

India and Pakistan have shared a feeling of "mutual distrust" ever since the partition of India. Kashmir has been the bedrock issue between both the nations and has been an unresolved boundary dispute.

This distrust was an outcome of the colonial legacy of "divide and rule". The colonial policy of divide and rule pitted the Muslims against the Hindus. The policy gave rise, amongst the Muslims, to a sentiment of "Islam being in danger" in the Hindu dominated Indian society. The growth of Islamic nationalism and hence the demand for a separate Muslim state was an outcome of this paranoia.¹

Since the days of Syed Ahemad Khan, in 1880, a basic theme of the Muslim communities was that if the British left India, the Hindus, because they were a majority, would dominate the Muslims and totally override their interests. Even a cultured and liberal person like Jinnah now catered to the worst feelings of fear and hatred. In his presidential address to the Muslim League in 1938 he said: "The high Command of the Congress is determined, absolutely determined, to crush all other communities and cultures in this country and to establish Hindu Raj".² On the other hand Hindu Communalists did not lag behind. V. D. Savarkar, the then President of Hindu Mahasabha, went to the extent of saying that the Muslims want to reduce the Hindus to the position of helots in their own land.³

The idea that India and Pakistan are two separate communities divided by religion took birth with the aid of the British midwife. For the perpetuation of British rule it was necessary to reduce the influence of the congress and to create rivals to the Hindu community. The obvious strategy to detract the Hindus was to show favors to the Muslims. There are numerous instances of this policy from the earlier times. In the



Dr. Pawan Kumar

First principles studies of Si clusters

Cite as: AIP Conference Proceedings 2115, 030380 (2019); <https://doi.org/10.1063/1.5113219>
Published Online: 12 July 2019

Pawan Kumar



AIP | Conference Proceedings

Get **30% off** all print proceedings!

Enter Promotion Code **PDF30** at checkout



Kohli
Principal
Govt. College Sanjauli
Shimla-06
Principal
GOE, Govt. College
Sanjauli, Shimla-6

First Principles Studies of Si Clusters

Pawan Kumar

Centre of Excellence, Govt. Degree College Sanjauli, Shimla.

pawankumarsolan@gmail.com

Abstract. Clusters are in between atoms and bulk matter. Using Quantum Espresso *ab-initio* package we found most stable structures for Si₃, Si₇, Si₁₂, Si₁₃, Si₁₃H₁₂, Si₁₃H₁₄ and Si₁₃H₁₆ and visualized the resulting structures using XCRYSDEN. We also analyzed these structures using symmetry, density of states, valence band width and band gap values. In case of hydrogenated Si clusters broader valence band and narrower band gap has been found well to correlates with stability.

INTRODUCTION

Clusters are the aggregate of atoms or molecules with a well-defined number of constituents ranging from few to several thousands of atoms. They form the intermediate between atoms (or molecules) and the bulk matter and the study of clusters actually study of the evolution of the physical matter from atoms towards bulk solids.

Study of clusters can help us in the potential use them in the technological applications[1-2]. Study of cluster shows the clusters are different from atoms and bulk, their behavior changes with size, their geometry and structure. Further, how variations in their size are related to the electronic, magnetic, optical and chemical properties. These studies can lead us to tailor their properties to get desired properties.

The bulk crystalline matter is arranged in a periodic form while clusters are much smaller and are usually just non-periodic aggregates of atoms. Due to these variations in the properties of clusters and bulk matter the entire theoretical framework used to describe the bulk matter is simply not applicable to clusters.

METHODS


The tool which we have used in our study is Quantum-Espresso package. It is a full *ab initio* package implementing electronic structure and energy calculations. Inside this package, PWSCF is the code which is used to perform total energy calculations. We have used generalized gradient approximation (GGA) of density functional theory using QE. Self-consistent calculations are done after supplying atomic positions and atoms are moved to decrease system energy. This is repeated till energy convergence is not achieved. XCRYSDEN has been used to visualize the resulting structures.

RESULT AND DISCUSSIONS


We have studied properties of Si clusters up to n=13. The properties discussed are structure, energy, density of states and energy level diagrams. We have also hydrogenated the resulting cluster of n=13 with hydrogen atoms.

DAE Solid State Physics Symposium 2018
AIP Conf. Proc. 2115, 030380-1–030380-4; <https://doi.org/10.1063/1.5113219>
Published by AIP Publishing, 978-0-7354-1831-6/530.00

030380-1


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6


Dr. Kamayani



Kamli
Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6

Contents

- **A Comparative Study on Self-Concept Between East Zone and West Zone Interuniversity Hockey Players** 521-524
Dr. Akhil Mehrotra, Assistant Professor, Department of Physical Education, B.H.U., Varanasi
- **Learning English Grammar with the Help of Newspaper** 525-533
Dr Poonam (Nigam) Sahay, Associate Professor, University Department of English, Ranchi University, Ranchi
Priya, Research Scholar, University Department of English, Ranchi University, Ranchi
- **Historical Background of Santhals** 534-538
Dr. Bijendra Paswan, Department of History, Patna University, Patna
- **Reservations in India: Law and Policy** 539-546
Dr. Vikash Singh, LL.M., Ph.D., Principal, Jharkhand Vidhi Mahavidyalaya, Koderma, Jharkhand
- **Role of Games and Sports in Empowering Women** 547-552
Dr. Mohammad Sharique, Assistant Professor, Department of Physical Education, Khwaja Moinuddin Chishti Urdu, Arabi-Farsi University, Lucknow
- **An Analytical Analysis of Educational Unemployment Problem in India.** 553-557
Dr. Sunita Kumari, Guest Teacher, Economics J.N. College, Nehara Lalit Narayan Mithila University, Kameshwar Nagar, Darbhanga
- **Position of Women in Kautilya's Arthashastra & Dharmashastra Literature: A Comparative Study** 558-572
Prof. Rachna Shrivastava, Professor (Political Science) & Principal, Vasant Kanya Mahavidyalaya (Affiliated to Banaras Hindu University), Kamachcha, Varanasi, Uttar Pradesh. (221010)
- **Away from Rhetoric : Empowering Women in Rural Spaces.** 573-581
Kamayani Bisht, Department of English, Govt. College, Theog, Shimla
- **Tibet Factor In Indo- China Relation : An Overview** 582-586
Yadavendra Dubey, Research Scholar, Department of


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6

Away from Rhetoric: Empowering Women in Rural Spaces.


Kamrajit Bhat *

Key words: empowerment, economic transformation, poverty, NGOs, security, organisational and structural changes

Even though we belong to a country that insists it treats its women right and has a culture of reverence for women, Women's Empowerment as an active social agenda is a relatively fledgling project in India. We may have had a socio-cultural history of worshipping the feminine power and the Goddess, but outside the altar, we mustn't beguile others and delude ourselves with these claims. Equal rights for both the genders has not really been a part of the discourse until the nineteenth century. There were some voices from social reformers calling for emancipation of women during the era that witnessed the struggle for freedom, but these movements did not succeed in convincing the stakeholders of power to share it equally. Their larger interest was to include women, who constitute half the people-force of a nation, to feel empowered in order to participate in the fight for freedom. Post independence, the project of empowering women lost its fire and there was a lull until the seventies, when women's movements around the world had a rub-on effect on the Indian sub-continent too and there was a re-emergence of the urgency to empower women here as well. This time around, the reform was sought by women for women.

Today, a cursory look at the provisions that the constitution has for the female population, and the number of programmes and initiatives that abound, should make us feel that all is well with the world. But unfortunately there is a gaping divide between the policy and the extent of its implementation on ground. It should now be safe to say that the system, if it is represented by the governments, does have the right intention towards women. But then, the system is more than the government. The policies meet conscious and unconscious resistance at the level of implementation. Let us not blame the present generation of men who are most often the proclaimed offenders in this blame game. It is evident that the male sub-species of the human race has long been the central beneficiary of power in

Department of English, Govt. College, Thang, Shimla


Principal
Govt. College Sanjauli
Shimla-06
Principal
GOE, Govt. College
Sanjauli, Shimla-6

Papers published in journals: Academic year 2019-20

Shashi Kant Lomesh, Vikas Nathan*, Madhu Bala
and Inesh Kumar

Interactions of Drug Doxycycline Hyclate with Galactitol in Aqueous Solutions at Different Temperatures by Volumetric and Acoustic Methods

<https://doi.org/10.1515/zpch-2019-1386>

Received January 28, 2019; accepted September 13, 2019


Abstract: The experimental values of density, ρ and speed of sound, u of doxycycline hyclate drug (0.002–0.014) mol kg⁻¹ in water and (0.1, 0.2 and 0.4) mol kg⁻¹ of aqueous galactitol solutions at temperatures $T = (303.15, 308.15 \text{ and } 313.15) \text{ K}$ and at atmospheric pressure have been reported in the present communication. From the experimental values, various derived parameters such as apparent molar volume (Φ_V), apparent molar isentropic compression (Φ_K), limiting apparent molar volume (Φ_V^0), limiting apparent molar isentropic compression (Φ_K^0), limiting apparent molar volume of transfer ($\Delta\Phi_V^0$), limiting apparent molar isentropic compression of transfer ($\Delta\Phi_K^0$), limiting apparent molar expansibility (Φ_E^0), thermal expansion coefficient (α) and acoustic parameters like isentropic compressibility (κ_S), intermolecular free length (L_f), and specific acoustic impedance (Z) were calculated. The structure-making behaviour of DH in aqueous galacti-

tol solution was determined on the basis of Hepler's Equation i.e. on the basis of sign of $\left(\frac{d^2\Phi_V^0}{dT^2}\right)_P$. The various derived parameters were utilised to interpret the molecular interactions i.e. solute–solute and solute–solvent existing in the studied system.

Keywords: apparent molar properties; doxycycline hyclate; galactitol; molecular interactions.

*Corresponding author: Vikas Nathan, Department of Chemistry, Himachal Pradesh University, Summerhill, Shimla, India, e-mail: vikasnathan2@gmail.com

Shashi Kant Lomesh, Madhu Bala and Inesh Kumar: Department of Chemistry, Himachal Pradesh University, Summerhill, Shimla, India


Principal
Govt. College Sanjauli
Shimla-06
J.C.E., Govt. College
Sanjauli, Shimla



Thermophysical properties of glycine and glycyglycine in aqueous tartaric acid at different temperatures: Volumetric, acoustic and viscometric studies

Shashi Kant Sharma , Abhishek Thakur, Dinesh Kumar, Vikas Nathan

Show more

+ Add to Mendeley Share Cite

<https://doi.org/10.1016/j.molliq.2019.111941>

[Get rights and content](#)

Highlights

- Molecular interactions between glycine and glycyglycine in water and in aqueous tartaric acid solutions are studied.
- The Volumetric, Compressibility, Acoustic and Viscometric methods are used to interpret results.
- Solute-Solvent interactions predominate over solute-solute interactions.
- Glycine and glycyglycine behaves as a structure breaker in water and in aqueous tartaric acid solutions.

Abstract

Thermophysical properties like density, **ultrasonic velocity** and viscosity of glycine, **glycyglycine** in water and in (0.1942, 0.3773, 0.5504 and 0.7142) mol·kg⁻¹ aqueous **tartaric acid** solutions as a function of concentration at different temperatures ranging between (298.15 and 318.15) K have been determined. These data have been utilized to calculate apparent **molar volume** (φ_v), apparent molar isentropic **compressibility** (φ_k), and viscosity B-coefficient values of the studied solutions. The **partial molar volumes** (φ_v^0), partial molar isentropic compressibility (φ_k^0) and experimental slopes (S_v^* and S_k^*) derived from the Mason equations have been interpreted in terms of solute-solute and solute-solvent interactions. The viscosity coefficients A and B have been determined from the Jones-Dole equation. From the volumetric and viscometric data, **hydration number** (n_H) has been calculated and further, the structural effects of glycine, glycyglycine in tartaric acid solution has been discussed. The results were explained in terms of structure making and structure breaking properties.



Structural, magnetic and Mössbauer analysis of lanthanum and nickel doped Co₂Y-type hexaferrite nanomaterial matrix synthesized by sol-gel auto-combustion technique

Monika Chandel ^a, Virender Pratap Singh ^{a, b, **}, Kirti Singha ^a, Susheel Kalia ^{c, *},
Rajesh Kumar ^a, Gagan Kumar ^d, M. Singh ^e

^a School of Physics, Shoolini University, Bajhol, Dist., Solan, H.P., India

^b Govt. Degree College, Nadaun, Dist., Hamirpur, H.P., India

^c Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India

^d Department of Physics, Chandigarh University, Gharuan, Mohali, Punjab, India

^e Department of Physics, Himachal Pradesh University, Shimla, H.P., India

ARTICLE INFO

Article history:

Received 2 August 2019

Received in revised form

18 December 2019

Accepted 18 December 2019

Available online 23 December 2019

Keywords:

Co₂Y-type nanohexaferrites

Structural properties

Magnetic properties

Mössbauer analysis

ABSTRACT

Sol-gel auto-combustion technique was used to prepare the lanthanum (La³⁺) and nickel (Ni²⁺) doped Co₂Y-type Sr_{2-y}La_yCo₂Ni_xFe_{12-x}O₂₂; x = 0.0, 0.1, 0.2, 0.3; y = 0.0, 0.01, 0.02, 0.03 nanohexaferrites materials. Synthesized nanohexaferrites were characterized by XRD, FTIR and EDS analysis. The collective XRD analysis reveals the single-phase patterns corresponding to various dopants concentration in the powder system matrix. The calculated structural - auxiliary parameters viz. Lattice constants (a and c), cell volume (V_{cell}), X-ray density (d_x), bulk density (d_b) and porosity (P) have been found in range; a = 5.8798–5.8321 Å, c = 43.7316–44.7214 Å, V_{cell} = 1309.303–1317.304 Å³, d_x = 5.014–4.987 gm/cm³, d_b = 3.774–3.128 gm/cm³ and P = 0.247–0.37. The XRD results were supported by FESEM and TEM images, which showed the plate-like shape of particles. Unlike irregular grains, regular platelet-like grains were composed of several crystallites with almost parallel c-axis and this is the most suitable shape for microwave absorption. Fourier-transform infrared spectroscopy (FTIR) showed the location of the ions including their respective bonds within the structure of the lattice matrix and variation of ion concentration was depicted by EDS analysis of the powder matrix. The investigation of magnetic properties was done by vibrating sample magnetometer (VSM). The saturation magnetization (M_s) and coercivity (H_c) were found to be in the range of 34.29–43.711 emu/g and 16.27–299.441 Oe, respectively. The improved values of M_s and H_c mean that these powders can be used as pre-eminent contestant materials for perpendicular recording media (PMR) applications. In addition, the synthesized Co₂Y-type nanohexaferrites were characterized for the Mössbauer analysis at room temperature. The normal Zeeman (six-line patterns) splitting confirms the hexagonal phase of synthesized nanohexaferrites.

© 2019 Elsevier B.V. All rights reserved.

1. Introduction

Ferrites of magneto plumbite crystal structure have a wide scope of utilization in the field of materials science [1]. Especially,

strontium hexaferrites were extensively considered due to their unique electromagnetic properties, good thermal durability, corrosion resistivity, perfect chemical stability. Strontium hexaferrites have broad high-frequency applications in various electromagnetic gadgets from microwave to radio frequencies due to their high electrical resistivity, also applicable in transformer core including high-quality filters [2,3]. Due to the integration of more components in smaller space, the compatibility of electromagnetic interference (EMI), as well as anti-electromagnetic interference, become one of the most thought-provoking challenges in the high-frequency microelectronic products. Co₂Y-type hexagonal ferrites

* Corresponding author. ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India.

** Corresponding author. Govt. Degree College, Nadaun, Dist., Hamirpur, H.P., India.

E-mail addresses: kunwarvirender@gmail.com (V.P. Singh), susheelkalia@gmail.com (S. Kalia).

<https://doi.org/10.1016/j.molstruc.2019.127623>

0022-2860/© 2019 Elsevier B.V. All rights reserved.

Kirti Singha
Principal
Govt. College Sanjauli
Shimla-6
Govt. College
Sanjauli, Shimla-6



Contents lists available at ScienceDirect

Physica B: Physics of Condensed Matter

journal homepage: <http://www.elsevier.com/locate/physb>



Fabrication of Ni²⁺ and Dy³⁺ substituted Y-Type nanohexaferrites: A study of structural and magnetic properties

Monika Chandel^a, Virender Pratap Singh^{a,b,*}, Rohit Jasrotia^a, Kirti Singha^a, M. Singh^c, Pankaj Thakur^d, Susheel Kalia^{e,*}

^a School of Physics, Shoolini University, Solan, India

^b Department of Physics, Govt. Degree College, Nadaun, Hamirpur, India

^c Department of Physics, Himachal Pradesh University, Shimla, India

^d Department of Environmental Sciences, Central University of Himachal Pradesh, Dharamshala, 176 215, Himachal Pradesh, India

^e Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, 248007, Uttarakhand, India

ARTICLE INFO

Keywords:

Strontium hexaferrites
Y-type nanohexaferrites
Sol-gel technique
Structural analysis
Magnetic properties

ABSTRACT

A series of the Y-type hexaferrites having chemical composition Sr_{2-x}Dy_xCo₂Ni_yFe_{12-y}O₂₂ (x = 0.0, 0.01, 0.02, 0.03, 0.04 and y = 0.0, 0.1, 0.2, 0.3, 0.4) were fabricated with doping of Dy³⁺ and Ni²⁺. XRD patterns confirm the formation of a single-phase hexagonal structure along with some impurity phases. FESEM and TEM analysis shows the formation of agglomerated magnetic nanoparticles. M – H loops obtained from VSM observations were used to study the magnetic parameters viz. saturation magnetization (M_s = 34.28–43.30 emu/g), remanence (M_r = 1.08–11.60 emu/g) and coercivity (H_c = 33.98–246.05 O_e), which were found to increase with an increase in Dy³⁺/Ni²⁺ substituents. The synthesized materials with excellent structural and magnetic properties are promising candidates for high-frequency applications.

1. Introduction

The nanocrystalline hexagonal ferrites have gained a lot of scientific attention and researchers are working on Y-type hexagonal ferrites due to their high chemical stability, unique magnetic properties and low cost [1–4]. Today, the world is demanding technology with high performance electronic and telecommunication devices. This demand can be fulfilled with the help of Y-type hexaferrites because these materials can operate at high frequency. A high frequency, high permeability, and planar magnetocrystalline anisotropy enhance the practical applicability of such magnetic materials.

The Y-type hexaferrites have hexagonal crystal structure with ferromagnetic nature and the space group is R3m; the molecular unit consists of two and four-layered blocks termed as S and T blocks respectively [5]. The technology demands the materials with high numbers of functionalities and a high-frequency range for useful applications [6]. These hexaferrites have general formula A₂Me₂Fe₁₂O₂₂, where A and Me refers to divalent metal ions distributed among six (two tetrahedral and four octahedral) sublattices [7]. Y-type hexagonal ferrites have wide applications in high frequency operating devices and

high-quality filters due to their high chemical stability and unique magnetic properties. Also, a high value of coercivity makes them more suitable in microwave devices.

Many techniques like sol-gel, hydrothermal, co-precipitation and glass crystallization are developed to fabricate Y-type hexaferrite [8]. In this paper, the sol-gel method was used for the preparation of nanohexaferrites because this technique can easily control the size, shape and distribution of the particles at low annealing temperatures [9]. Moreover, the co-doping of transition and rare earth metals in Y-type hexaferrites is rarely reported to study the influence on the structural and magnetic properties of hexaferrites. Rare earth materials are known to possess good electrical insulation with high electrical resistivity. Nickel is a corrosion-resistant transition metal and ferromagnetic at room temperature. So, this work aims to study the effect of Dy³⁺ and Ni²⁺ substitutions on structural and magnetic properties of synthesized nanohexaferrites. Strontium based Y-type hexaferrites were substituted with Dy³⁺ ions at Sr²⁺ and Ni²⁺ ions at Fe³⁺ ions and magnetic properties were expected to be enhanced.

* Corresponding author. Indian Military Academy, Dehradun, India.

** Corresponding author. School of Physics, Shoolini University, Solan, India.

E-mail addresses: kunwar.virender@gmail.com (V.P. Singh), susheel.kalia@gmail.com (S. Kalia).

<https://doi.org/10.1016/j.physb.2020.412378>

Received 13 December 2019; Received in revised form 7 June 2020; Accepted 7 July 2020

Available online 17 July 2020

0921-4526/© 2020 Elsevier B.V. All rights reserved.

Principal
Govt. College Sanjauli
Shimla-06
Principal
GOE, Govt. College
Sanjauli, Shimla-6



Structural, magnetic and Mössbauer analysis of lanthanum and nickel doped Co₂Y-type hexaferrite nanomaterial matrix synthesized by sol-gel auto-combustion technique

Monika Chandel ^a, Virender Pratap Singh ^{a, b, **}, Kirti Singha ^a, Susheel Kalia ^{c, *}, Rajesh Kumar ^a, Gagan Kumar ^d, M. Singh ^e

^a School of Physics, Shoolini University, Bajhol, Dist., Solan, H.P., India

^b Govt. Degree College, Nadaun, Dist., Hamirpur, H.P., India

^c Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India

^d Department of Physics, Chandigarh University, Gharuan, Mohali, Punjab, India

^e Department of Physics, Himachal Pradesh University, Shimla, H.P., India

ARTICLE INFO

Article history:

Received 2 August 2019

Received in revised form

18 December 2019

Accepted 18 December 2019

Available online 23 December 2019

Keywords:

Co₂Y-type nanohexaferrites

Structural properties

Magnetic properties

Mössbauer analysis

ABSTRACT

Sol-gel auto-combustion technique was used to prepare the lanthanum (La³⁺) and nickel (Ni²⁺) doped Co₂Y-type Sr_{1-2y}La_yCo₂Ni_xFe_{12-2x}O₂₂; x = 0.0, 0.1, 0.2, 0.3; y = 0.0, 0.01, 0.02, 0.03 nanohexaferrites materials. Synthesized nanohexaferrites were characterized by XRD, FTIR and EDS analysis. The collective XRD analysis reveals the single-phase patterns corresponding to various dopants concentration in the powder system matrix. The calculated structural - auxiliary parameters viz. Lattice constants (a and c), cell volume (V_{cell}), X-ray density (d_x), bulk density (d_b) and porosity (P) have been found in range; a = 5.8798–5.8321 Å, c = 43.7316–44.7214 Å, V_{cell} = 1309.303–1317.304 Å³, d_x = 5.014–4.987 gm/cm³, d_b = 3.774–3.128 gm/cm³ and P = 0.247–0.37. The XRD results were supported by FESEM and TEM images, which showed the plate-like shape of particles. Unlike irregular grains, regular platelet-like grains were composed of several crystallites with almost parallel c-axis and this is the most suitable shape for microwave absorption. Fourier-transform infrared spectroscopy (FTIR) showed the location of the ions including their respective bonds within the structure of the lattice matrix and variation of ion concentration was depicted by EDS analysis of the powder matrix. The investigation of magnetic properties was done by vibrating sample magnetometer (VSM). The saturation magnetization (M_s) and coercivity (H_c) were found to be in the range of 34.29–43.711 emu/g and 16.27–299.441 Oe, respectively. The improved values of M_s and H_c mean that these powders can be used as pre-eminent contestant materials for perpendicular recording media (PMR) applications. In addition, the synthesized Co₂Y-type nanohexaferrites were characterized for the Mössbauer analysis at room temperature. The normal Zeeman (six-line patterns) splitting confirms the hexagonal phase of synthesized nanohexaferrites.

© 2019 Elsevier B.V. All rights reserved.

1. Introduction

Ferrites of magneto plumbite crystal structure have a wide scope of utilization in the field of materials science [1]. Especially,

strontium hexaferrites were extensively considered due to their unique electromagnetic properties, good thermal durability, corrosion resistivity, perfect chemical stability. Strontium hexaferrites have broad high-frequency applications in various electromagnetic gadgets from microwave to radio frequencies due to their high electrical resistivity, also applicable in transformer core including high-quality filters [2,3]. Due to the integration of more components in smaller space, the compatibility of electromagnetic interference (EMI), as well as anti-electromagnetic interference, become one of the most thought-provoking challenges in the high-frequency microelectronic products. Co₂Y-type hexagonal ferrites

* Corresponding author. ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India.

** Corresponding author. Govt. Degree College, Nadaun, Dist., Hamirpur, H.P., India.

E-mail addresses: kunwarvirender@gmail.com (V.P. Singh), susheelkalia@gmail.com (S. Kalia).

<https://doi.org/10.1016/j.molstruc.2019.127623>

0022-2860/© 2019 Elsevier B.V. All rights reserved.

Monika Chandel
Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli Shimla-06



Contents lists available at ScienceDirect

Physica B: Physics of Condensed Matter

journal homepage: <http://www.elsevier.com/locate/physb>



Fabrication of Ni²⁺ and Dy³⁺ substituted Y-Type nanohexaferrites: A study of structural and magnetic properties

Monika Chandel^a, Virender Pratap Singh^{a,b,*}, Rohit Jasrotia^a, Kirti Singha^a, M. Singh^c, Pankaj Thakur^d, Susheel Kalia^{e,*}

^a School of Physics, Shoolini University, Solan, India

^b Department of Physics, Govt. Degree College, Nadaun, Hamirpur, India

^c Department of Physics, Himachal Pradesh University, Shimla, India

^d Department of Environmental Sciences, Central University of Himachal Pradesh, Dharamshala, 176 215, Himachal Pradesh, India

^e Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, 248007, Uttarakhand, India

ARTICLE INFO

Keywords:

Strontium hexaferrites
Y-type nanohexaferrites
Sol-gel technique
Structural analysis
Magnetic properties

ABSTRACT

A series of the Y-type hexaferrites having chemical composition Sr_{2-x}Dy_xCo₂Ni_yFe_{12-y}O₂₂ (x = 0.0, 0.01, 0.02, 0.03, 0.04 and y = 0.0, 0.1, 0.2, 0.3, 0.4) were fabricated with doping of Dy³⁺ and Ni²⁺. XRD patterns confirm the formation of a single-phase hexagonal structure along with some impurity phases. FESEM and TEM analysis shows the formation of agglomerated magnetic nanoparticles. M – H loops obtained from VSM observations were used to study the magnetic parameters viz. saturation magnetization (M_s = 34.28–43.30 emu/g), remanence (M_r = 1.08–11.60 emu/g) and coercivity (H_c = 33.98–246.05 O_e), which were found to increase with an increase in Dy³⁺/Ni²⁺ substituents. The synthesized materials with excellent structural and magnetic properties are promising candidates for high-frequency applications.

1. Introduction

The nanocrystalline hexagonal ferrites have gained a lot of scientific attention and researchers are working on Y-type hexagonal ferrites due to their high chemical stability, unique magnetic properties and low cost [1–4]. Today, the world is demanding technology with high performance electronic and telecommunication devices. This demand can be fulfilled with the help of Y-type hexaferrites because these materials can operate at high frequency. A high frequency, high permeability, and planar magnetocrystalline anisotropy enhance the practical applicability of such magnetic materials.

The Y-type hexaferrites have hexagonal crystal structure with ferromagnetic nature and the space group is R3m; the molecular unit consists of two and four-layered blocks termed as S and T blocks respectively [5]. The technology demands the materials with high numbers of functionalities and a high-frequency range for useful applications [6]. These hexaferrites have general formula A₂Me₂Fe₁₂O₂₂, where A and Me refers to divalent metal ions distributed among six (two tetrahedral and four octahedral) sublattices [7]. Y-type hexagonal ferrites have wide applications in high frequency operating devices and

high-quality filters due to their high chemical stability and unique magnetic properties. Also, a high value of coercivity makes them more suitable in microwave devices.

Many techniques like sol-gel, hydrothermal, co-precipitation and glass crystallization are developed to fabricate Y-type hexaferrite [8]. In this paper, the sol-gel method was used for the preparation of nanohexaferrites because this technique can easily control the size, shape and distribution of the particles at low annealing temperatures [9]. Moreover, the co-doping of transition and rare earth metals in Y-type hexaferrites is rarely reported to study the influence on the structural and magnetic properties of hexaferrites. Rare earth materials are known to possess good electrical insulation with high electrical resistivity. Nickel is a corrosion-resistant transition metal and ferromagnetic at room temperature. So, this work aims to study the effect of Dy³⁺ and Ni²⁺ substitutions on structural and magnetic properties of synthesized nanohexaferrites. Strontium based Y-type hexaferrites were substituted with Dy³⁺ ions at Sr²⁺ and Ni²⁺ ions at Fe³⁺ ions and magnetic properties were expected to be enhanced.

* Corresponding author. Indian Military Academy, Dehradun, India.

** Corresponding author. School of Physics, Shoolini University, Solan, India.


E-mail addresses: kunwar.virender@gmail.com (V.P. Singh), susheel.kalia@gmail.com (S. Kalia).

<https://doi.org/10.1016/j.physb.2020.412378>

Received 13 December 2019; Received in revised form 7 June 2020; Accepted 7 July 2020

Available online 17 July 2020

0921-4526/© 2020 Elsevier B.V. All rights reserved.


Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6

Papers published in journals: Academic year 2020-21



A study of magnetic properties of Y–Ni–Mn substituted Co₂Z-type nanohexaferrites via vibrating sample magnetometry


Kirti Singha¹ · Rohit Jasrotia¹ · Virender Pratap Singh^{1,2} · Monika Chandel¹ · Rajesh Kumar¹ · Susheel Kalia³

Received: 17 April 2020 / Accepted: 4 September 2020
© Springer Science+Business Media, LLC, part of Springer Nature 2020

Abstract

Z-type nanohexaferrites has attracted substantial attention in the field of materials science especially in the research areas of high frequency and microwave devices applications due to their excellent magnetic properties in comparison with the spinel ferrites. A series of Ba_{1.5}Sr_{1.5}Co_{2-x}Y_xMn_yNi_zFe_{24-y-z}O₄₁ (x = 0.0, 0.05, 0.10, 0.15, 0.20; y = z = 0.0, 0.25, 0.50, 0.75, 1.00) Z-type hexaferrites were fabricated with the help of sol-gel auto-combustion method in order to achieve its better microstructural and magnetic properties. The crystallographic structure of prepared specimens was characterized by XRD which revealed the presence of Z-type single-phase hexagonal structure with some additional phases accompanied by P6₃/mmc space group. The average particle size calculated by Scherrer formula was found to be in the range of 40–55 nm. The FTIR spectrum of synthesized specimens was observed in the range of 400–600 cm⁻¹ which confirms our microstructural results to a great extent. From the M–H hysteresis loops, magnetic parameters such as saturation magnetization (M_s) (44.04–35.59 emu/g) and coercivity (H_c) (42.3–248.96 Oe) were measured and it was observed that the synthesized specimens exhibit excellent characteristics of soft ferrite which make it suitable for the multilayer chip inductors, electromagnets, and magnetic storage devices applications.

Graphical Abstract



Keywords Z-type nanohexaferrites · Sol-gel preparation · Structural study · Morphological Investigation · Magnetic measurements

✉ Rohit Jasrotia
rohitsinghjasrotia4444@gmail.com
✉ Virender Pratap Singh
kunwar.virender@gmail.com
✉ Susheel Kalia
susheel.kalia@gmail.com

¹ School of Physics, Shoolini University, Bajhol, Solan, H.P., India
² Govt. Degree College, Nadaun, Hamirpur, H.P., India
³ Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India

Published online: 21 September 2020

Springer

Kirti Singha
Principal
Govt. College Sanjauli
Shimla-06
JCE, Govt. College
Sanjauli, Shimla-06



A study of magnetic properties of Y–Ni–Mn substituted Co₂Z-type nanohexaferrites via vibrating sample magnetometry


Kirti Singha¹ · Rohit Jasrotia¹ · Virender Pratap Singh^{1,2} · Monika Chandel¹ · Rajesh Kumar¹ · Susheel Kalia³

Received: 17 April 2020 / Accepted: 4 September 2020
© Springer Science+Business Media, LLC, part of Springer Nature 2020

Abstract

Z-type nanohexaferrites has attracted substantial attention in the field of materials science especially in the research areas of high frequency and microwave devices applications due to their excellent magnetic properties in comparison with the spinel ferrites. A series of Ba_{1.5}Sr_{1.5}Co_{2-x}Y_xMn_yNi_zFe_{24-y-z}O₄₁ (x = 0.0, 0.05, 0.10, 0.15, 0.20; y = z = 0.0, 0.25, 0.50, 0.75, 1.00) Z-type hexaferrites were fabricated with the help of sol-gel auto-combustion method in order to achieve its better microstructural and magnetic properties. The crystallographic structure of prepared specimens was characterized by XRD which revealed the presence of Z-type single-phase hexagonal structure with some additional phases accompanied by P6₃/mmc space group. The average particle size calculated by Scherrer formula was found to be in the range of 40–55 nm. The FTIR spectrum of synthesized specimens was observed in the range of 400–600 cm⁻¹ which confirms our microstructural results to a great extent. From the M–H hysteresis loops, magnetic parameters such as saturation magnetization (M_s) (44.04–35.59 emu/g) and coercivity (H_c) (42.3–248.96 Oe) were measured and it was observed that the synthesized specimens exhibit excellent characteristics of soft ferrite which make it suitable for the multilayer chip inductors, electromagnets, and magnetic storage devices applications.

Graphical Abstract



Keywords Z-type nanohexaferrites · Sol-gel preparation · Structural study · Morphological Investigation · Magnetic measurements

✉ Rohit Jasrotia
rohitsinghjasrotia444@gmail.com
✉ Virender Pratap Singh
kunwar.virender@gmail.com
✉ Susheel Kalia
susheel.kalia@gmail.com

¹ School of Physics, Shoolini University, Bajhol, Solan, H.P., India
² Govt. Degree College, Nadaun, Hamirpur, H.P., India
³ Department of Chemistry, ACC Wing, Indian Military Academy, Dehradun, Uttarakhand, India

Published online: 21 September 2020

Springer

Kalia
Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli Shimla-06

A NOTE ON VARIANCE BOUNDS AND LOCATION OF EIGENVALUES

R. SHARMA, A. SHARMA AND R. SAINI

(Communicated by M. Krnić)

Abstract. We discuss some extensions and refinements of the variance bounds for both real and complex numbers. The related bounds for the eigenvalues and spread of a matrix are also derived here.

1. Introduction

Let z_1, z_2, \dots, z_n denote n complex numbers. Their arithmetic mean is the number

$$\frac{1}{n} \sum_{i=1}^n z_i = \tilde{z}. \tag{1.1}$$

In literature, the number

$$\frac{1}{n} \sum_{i=1}^n |z_i - \tilde{z}|^2 = S_z^2 \tag{1.2}$$

or its equivalent expressions have been studied in several different contexts and notations and is termed as the variance of complex numbers at many places. For example, see Audenaert [2], Bhatia and Sharma [4,5], Merikoski and Kumar [13], and Park [17].

The number

$$\frac{1}{n} \sum_{i=1}^n (z_i - \tilde{z})^2 = S^2 \tag{1.3}$$

is also important in this context. If z_i 's are all real we denote them by x_i 's with $a = \min x_i$ and $b = \max x_i$. The arithmetic mean by \bar{x} and variance by the lower case letter s^2 . In this case $S_z = |S| = S = s$ but in general S_z rather than $|S|$ is more consistent with s . For instance, $s = 0$ ($S_z = 0$) if and only if all the x_i 's (z_i 's) are equal. This is not the case with $|S|$; for example, for three distinct complex numbers $0, \pm \frac{1}{2} + i \frac{\sqrt{3}}{2}$ we have $S = 0$. It however turns out that for some purposes s^2 is more consistent with

$$\sigma_z^2 = \frac{|S^2| + S_z^2}{2} \tag{1.4}$$

Mathematics subject classification (2010): 15A42, 26C10, 60E15.

Keywords and phrases: Variance, complex numbers, leptokurtic distributions, eigenvalues, trace, spread, polynomial, span, Jung's theorem in the plane.

Papers published in journals: Academic year 2021-22



ISSN: 0975-833X

Available online at <http://www.journals.ijcr.com>

INTERNATIONAL JOURNAL OF CURRENT RESEARCH

International Journal of Current Research
Vol. 11, Issue 08, pp 4746-4750, August, 2023
DOI: <https://doi.org/10.24018/ijcr.4746.08.2023>

RESEARCH ARTICLE

ROLE OF AGRICULTURE SECTOR IN THE ECONOMIC DEVELOPMENT OF HIMACHAL PRADESH

¹Rajesh Kumar Dhorta, ²Dr. Ajay Kumar and ³Dr. Devinder Sharma

¹Associate Professor, Deptn. Of Commerce, Centre of Excellence, Govt. College Sanjauli, Shimla- 171006
²Assistant Professor, Department of Commerce, Centre of Excellence, Govt. College Sanjauli, Shimla- 171006
³Professor, Department of Commerce, Himachal Pradesh University, Shimla- 171005

ARTICLE INFO

Article History:
Received 26th May, 2023
Received in revised form 27th June, 2023
Accepted 28th July, 2023
Published online 31st August, 2023

Key Words:

Hisachal Pradesh, Crop-lands, Cropping Area, Net Sown Area.

***Corresponding author:**
Rajesh Kumar Dhorta

ABSTRACT

Agriculture sector in India is of such relevance that it is contributing employment to more than 50 percent of the work force and 17 to 18 percent of the Nation's Gross Domestic Product. It is pertinent to understand that the land available for cultivation is abundant and in a country like India where large majority of the population belongs to middle and low economic class and youth is in search of job avenues, if youth is skillfully involved to pursue and go for adopting innovative agricultural activities, employability can be enhanced. At present, land available for cultivation out of the total land holdings in Himachal Pradesh is 75.7 percent of the total area and 87.9 percent of sown area in India. Further, Net Sown Area is 13.9 percent of the total cultivable area in the State as compared to 45.8 percent that of the Country. Agriculture sector is contributing nearly 18 percent to the Gross State Domestic Product of Himachal Pradesh. Based upon the criteria of land holding, household, cultivable cropping area, net sown area and irrigation, the research paper endeavors to examine the role of agriculture sector in the economic development of Himachal Pradesh.

Copyright © 2023, Rajesh Kumar Dhorta et al. This is an open access work distributed under the Creative Commons Attribution License, which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

Keywords: Rajesh Kumar Dhorta, Dr. Ajay Kumar and Dr. Devinder Sharma. Role of agriculture sector in the economic development of Himachal Pradesh. © 2023, International Journal of Current Research, 11(08): 4746-4750.

INTRODUCTION

India has diversity of habitation and land use characteristics. The Country is spread over the total land area of 329 million hectares out of which, gross cropped area is 141 million hectares. The agriculture of the Country is of such relevance that it is contributing employment to more than 50 percent of the work force and 17 to 18 percent of the Nation's Gross Domestic Product. It is pertinent to understand that the land available for cultivation is abundant and in a country like India where large majority of the population belongs to middle and low economic class and youth is in search of job avenues, if youth is skillfully involved to pursue and go for adopting innovative agricultural activities, employability can be enhanced. At present, land available for cultivation out of the total land holdings in Himachal Pradesh is 75.7 percent of the total area and 87.9 percent of sown area in India. Further, Net Sown Area is 13.9 percent of the total cultivable area in the State as compared to 45.8 percent that of the Country. It is further pertinent to mention that this sector has good chances of yield and earning as it is being facilitated by resources.

In Himachal Pradesh, 20 percent of the net cropped area is equipped with the irrigation facilities and in India, 45 percent of the net cropped area is having irrigation facility. Having such a relevant sector of the national economy, agriculture sector needs to be prioritized in terms of encouraging the usage of technology. The research paper endeavors to examine the role of agriculture sector in economic development of Himachal Pradesh.

REVIEW OF LITERATURE

Chaudhary (2016) has claimed that majority of marginal and small farmers' practice in traditional farming in the state of Himachal is not remunerative. He feels that a manifold increase in the resource-use efficiency in crop production can be obtained through precision cultivation (compared to open-field conditions) which can help marginal and small farmers by providing them financial and extension services for infrastructural development and transfer of technology speeded up to bring the desired technology to the region.

Hoshi
Principal
Govt. College Sanjauli
Shimla-06
Principal
GOE, Govt. College
Sanjauli, Shimla-6

Dr. Rajesh Kumar Dhorta



INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS (IJRAR) | IJRAR.ORG

An International Open Access, Peer-reviewed, Refereed Journal

E-ISSN: 2348-1269, P-ISSN: 2349-5138

The Board of
International Journal of Research and Analytical Reviews (IJRAR)

Is hereby awarding this certificate to

Rajesh Dhorta

In recognition of the publication of the paper entitled

PERSPECTIVE AND SCHEMES FOR PROMOTION OF GREENHOUSE CULTIVATION WITH SPECIAL REFERENCE TO HIMACHAL PRADESH

Published In IJRAR (www.Ijrar.org) UGC Approved - Journal No : 43602 & 7.17 Impact Factor

Volume 8 Issue 4 , Date of Publication: December 2021 2021-12-25 00:55:26

PAPER ID : IJRAR21D2136

Registration ID : 241024



R. B. Joshi
EDITOR IN CHIEF

UGC and ISSN Approved - Scholarly open access journals, Peer-reviewed, and Refereed Journals, Impact factor 7.17 (Calculate by google scholar and Semantic Scholar | AI-Powered Research Tool) , Multidisciplinary, Monthly Journal

INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS | IJRAR

An International Scholarly, Open Access, Multi-disciplinary, Indexed Journal

Website: www.Ijrar.org | Email: editor@Ijrar.org | ESTD: 2014

Manage By: IJPUBLICATION Website: www.Ijrar.org | Email ID: editor@Ijrar.org

IJRAR | E-ISSN: 2348-1269, P-ISSN: 2349-5138

Certificate of Publication

Habli
Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6



INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS (IJRAR) | IJRAR.ORG

An International Open Access, Peer-reviewed, Refereed Journal

E-ISSN: 2348-1269, P-ISSN: 2349-5138

The Board of
International Journal of Research and Analytical Reviews (IJRAR)
Is hereby awarding this certificate to

Rajesh Dhota

In recognition of the publication of the paper entitled
**A STUDY ON SOURCES OF INFORMATION AND AWARENESS ABOUT GREENHOUSE CULTIVATION
IN HIMACHAL PRADESH**

Published In IJRAR (www.Ijrar.org) UGC Approved - Journal No : 43602 & 7.17 Impact Factor

Volume 8 Issue 4 , Date of Publication: December 2021 2021-12-13 01:43:23

PAPER ID : IJRAR21D1927

Registration ID : 240644



EDITOR IN CHIEF

UGC and ISSN Approved - Scholarly open access journals, Peer-reviewed, and Refereed Journals, Impact factor 7.17 (Calculate by google scholar and Semantic Scholar | AI-Powered Research Tool) , Multidisciplinary, Monthly Journal

INTERNATIONAL JOURNAL OF RESEARCH AND ANALYTICAL REVIEWS | IJRAR


An International Scholarly, Open Access, Multi-disciplinary, Indexed Journal

Website: www.ijrar.org | Email: editor@ijrar.org | ESTD: 2014

Managed By: IJPUBLICATION Website: www.ijrar.org | Email ID: editor@ijrar.org

Habli
Principal
Govt. College Sanjauli
Shimla-06
Govt. College
Sanjauli, Shimla-6

Dr. Satya Narain Snehi



Snehi
Principal
Govt. College Sanjauli
Shimla-06
Principals
GOE, Govt. College
Sanjauli, Shimla-6

1.	अपने तई	06
2.	बदलते सामाजिक संदर्भों की छाया और 'काला पहाड़' - डॉ. अनिल सिंह	7-12
3.	समकालीन कविता में ग्रामीण संवेदना और लोककल्याण के कवि कुमार कृष्ण - डा. सत्यनारायण स्नेही	13-20
4.	वैश्वीकरण के परिप्रेक्ष्य में हिंदी कविता - डॉ. सचिन गपाट	21-24
5.	'सच तो यही है' : त्रस्त कश्मीरियों का प्रामाणिक दस्तावेज - डॉ. प्रवीण चंद्र बिष्ट	25-32
6.	रचना-विधान में सकेत और व्यंग्य की अर्थवत्ता - डॉ. प्रदीप त्रिपाठी	33-40
7.	लीलाधर जगूड़ी की कविता में विसंगति बोध - वीरेंद्र सिंह	41-47
8.	विनोद रस्तोगी कृत 'बर्फ की मीनार' की रंगमंचीयता - डॉ. दुर्गादे शीतल गुलाबराव	48-53
9.	साहित्य और सिनेमा का अंतः संबंध - डॉ. गोकुल गोरख क्षीरसागर	54-59
10.	जनसंचार के माध्यमों का लोक-साहित्य व लोक-संस्कृति के संवर्द्धन में योगदान - डॉ. गजेन्द्र भारद्वाज	60-66
11.	पाठ्यपुस्तक लेखन में बाबू श्यामसुन्दर दास का प्रदेश और प्रासंगिकता- डॉ. मीता शर्मा	67-75
12.	वनस्पति-जगत का काव्यात्मक अनुशीलन - प्रा. अलोक गुडे/डॉ. भगवती प्रसाद उपाध्याय	76-80
13.	विमर्श, विचारधारा और दूधनाथ सिंह - अनन्त द्विवेदी	81-88
14.	डॉ. उमेश चंद्र शुक्ल की गजलों में अभिव्यक्त आम आदमी की पीड़ा - डॉ. चंद्रभूषण शुक्ल	89-96
15.	स्त्री आत्मकथाओं में सत्ता संघर्ष (मैत्रेयी पुष्पा और तसलीमा नसरीन के विशेष सन्दर्भ में) - शिव दत्त	97-102
16.	सुधा ओम ढींगरा के कहानी संग्रह 'कौन सी जमीं अपनी'	103-109

Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

समकालीन कविता में ग्रामीण संवेदना और लोककल्याण के कवि कुमार कृष्ण

- डा. सत्यनारायण स्नेही

जिस दुनिया में

लिखी जाएगी बेहतर कविताएँ

वही होगी बेहतर दुनिया शब्द और अर्थ नहीं है कविता

सबसे सुन्दर सपना है सबसे अच्छे आदमी का

समकालीन हिन्दी कविता में विश्वनाथ प्रसाद तिवारी की कविता का यह कवितांश जिस बेहतर दुनिया की बात करता है। इसी परम्परा के अगले कवि हैं कुमार कृष्ण, जो वैश्विक परिवर्तन और तकनीकी युग के इस दौर में ग्रामीण जीवन की वास्तविकताओं को सहज रूप में व्यक्त करते हुए मानवीय मूल्यों एवं संवेदनाओं की अहमियत बताते हैं और आज के समय में अपनी संस्कृति, सभ्यता, भाषा, एवं अस्मिता बचाने की बात करता है-

मनुष्य के पास होनी चाहिए / बच्चों की शरारतें

बुजुर्गों की यादों का बटुआ / प्यार और नफरत के

रंग-बिरंगे छत्रे / उसके पास होने चाहिए / बेशुमार दरवाजे

जो खुल जाएँ सिर्फ एक बार खटखटाने पर।

कवि कुमार कृष्ण की कविताओं में भारतीय किसान की चिन्ता, व्यथा और पीड़ा विद्यमान है। इन्होंने पहाड़ी अंचल के पात्रों, समस्याओं, सम्बन्धों, प्राकृतिक एवं सामाजिक परिवेश के समग्र रूपों, परम्पराओं अर्थात् अंचल के समग्र जीवन को अपनी कविता में सरल एवं स्वाभाविक रूप से व्यक्त किया है इनकी कविताओं में भारतीय गाँव, भारतीय समाज तथा परिवार, भारतीय संस्कृति तथा परम्पराएँ, मानवीय रिश्तों के अहसास को देखा जा सकता है। इनमें लोक चेतना तथा ग्रामीण संवेदना का पारदर्शी समन्वय देखने को मिलता है। इनकी कविताओं में पहाड़ी गाँव का दर्द है जो हर गाँव की पीड़ा ब्यान करता है। कवि कुमार कृष्ण की कविताओं का मूल स्वर है-

मैं लिखना चाहता हूँ / खेतों के ताप / मिट्टी की बौखलाहट

बीज की बेचैनी / जमीन का उन्माद / सभी कुछ एक साथ


फोड़ना चाहता हूँ पहाड़ / कविता के शब्दों से

कुमार कृष्ण की कविताओं में पहाड़ का गाँव है, यहाँ के किसानों के सुख-दुख हैं और यह एहसास भी है कि आज के परिवर्तनशील और शहर की ओर बढ़ते हुए वर्गगत जीवन में उसकी क्या स्थिति है? वास्तव में, कृषक जीवन की दास्तान ही ऐसी है कि वह जन्म से मृत्यु पर्यन्त संघर्षमय रहते हुए अभावग्रस्त जीवन-बसर करता है। लोक जीवन में सामान्य व्यक्ति की


समीचीन

जनवरी-मार्च 2021

13


Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

Dr. Satya Narain Snehi



Snehi
Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

17. रेणु का इतिहास-विवेक: साधारण व्यक्ति और समाज की स्वाधीनता का प्रश्न - डॉ. प्रकाशचंद भट्ट	118-130
18. शैलेश मटियानी का भाषा-दर्शन - डॉ. सरिता	131-135
19. नालासोपारा पोस्ट बॉक्स 203 - डॉ. उषा दुबे	136-139
20. 'झीनी झीनी बीनी चदरिया' में जीवन यथार्थ और मानसिक अंतर्द्वंद्व - सरिता कुमारी	140-145
21. फसेफ तक की दूरी सिर्फ एक बिंदी की दूरी नहीं - प्रोफेसर डॉ. मनु	146-150
22. दलितों के सांस्कृतिक नायक : लोकगाथा दीनापट्टी - गोविन्द यादव	151-157
23. अजस्र हिन्दी गीत-धारा के शजर : मंजुल मयंक - डॉ. अमिता द्विवेदी	158-163
24. तांगाम लोककथा में निहित उपदेशात्मक दर्शन : 'पकी पक्षी' कथा के विशेष संदर्भ में - सुश्री तुनुड ताबिड	164-167
25. 'मृच्छकटिकम् : साहित्य से चित्रपट पर्यंत' - डॉ. प्रीति श्रीवास्तव	168-174
26. आधुनिक हिन्दी काव्य में अस्तित्ववादी चिन्तन - डॉ. मार्तण्ड कुमार द्विवेदी	175-181
27. दलित संघर्ष जूठन के सन्दर्भ में - शाजिया बशीर	182-186
28. अशोक वाजपेयी के काव्य में 'बिंब-योजना' - डॉ. संजीव श्रीवास्तव	187-195
29. <u>समकालीन व्यवस्था की पड़ताल और आम जन से संवाद</u> <u>करती कविताएं</u> - डॉ. सत्यनारायण स्नेही	196-204
30. हिन्दी साहित्य में उत्तर-आधुनिकतावादी प्रवृत्तियाँ - डॉ. सोफिया रजन	205-216
31. वैश्विक शांति के पैरोकार अटल बिहारी वाजपेयी - डॉ. कन्हैया त्रिपाठी	217-220
32. 'हिंदी और मराठी शकिकालीन स्त्री काव्य में ईश्वर की अवधारणा' - माली सरिता रामसूरत	221-224


Principal
Govt. College Sanjauli
Shimla-06
Principals
GOE, Govt. College
Sanjauli, Shimla-6

समकालीन व्यवस्था की पड़ताल और आम जन से संवाद करती कविताएं

डा. सत्यनारायण स्नेही

मैंने चाहा था कि मेरी कविताएं/लोकगीतों की पंक्तियों में खो जाएं/
जिन्हें नदियों में मछुआरे /खेतों में किसान/ मिलों में मजदूर / झूमते गए /
किंतु मेरी कविताओं की अजीब सी धुन है / खुले विस्तार से बंद कमरों की ओर जाती है/
उजली घूप में रह कर / अंधेरे के बिंब बनाती है। (यह सब कैसे होता है)

साठोत्तरी हिन्दी कविता में कवि कुमार विकल की कविता का ये अंश कविता के प्रति उनके दृष्टिकोण का संकेत है। जहां काव्यात्मक संसार में उसे अपनी सार्थकता में नन्हें बच्चों, उनकी मांओं, लोकगीतों में बदलते हुए मछुआरों, किसानों, मजदूरों आदि तक जाना है। जो बंद कमरों में रहे, तो भी घूप में अंधेरे के बिंब बनाए, इस विडंबना का निर्वहन भी कविता में ही करते हैं। सही मायनों में कवि कुमार विकल का बंद कमरा आम आदमी की यातनाओं, संतापों, संकटों और विवशताओं का कमरा है, जहां कवि अपनी रचनाशीलता को समकालीन समाज के साथ जोड़ते हुए उसमें अंतर्निहित अंतर्द्वंद्वों की पड़ताल करता है। कविता में शिल्प और भाव के स्तर पर घूमिल ने जिस जमीन का निर्माण किया, परवर्ती कवियों में कुमार विकल ने उसका विकास करते हुए निर्मम व्यवस्था, सामाजिक, राजनीतिक अव्यवस्था और विसंगतियों के विरुद्ध अभिव्यक्ति दी है साथ ही कविता में लोकचेतना और लोकवेदना की जीवन्त ऊर्जा से मनुष्य में उम्मीद और उत्साह भरते हैं। कवि पाठकों से कविता में सीधा संवाद करता है और लोकमानस के घरातल पर अपनी कविताओं की बुनियाद खड़ी करता है। इन्होंने चरखा कात रही बुढ़िया के बारे में सोचकर बायोस्कोप देखा, जोकि घर के इंधन और दफ्तर की फाईल के बीच गायब हो गया, इनको देखने में चम्बा की घूप पहाड़ी गाय लगती है, सरकारी इमारतों में जंगल उग रहे हैं, यहां चीजों की बढ़ती कीमतें परेशान करती हैं तथा सड़क पर हजारों लाख उदास चेहरे भटक रहे हैं, रोजगार, रोटी और बच्चों की चाकलेट के लिए गोदों की प्रतीक्षा है, दुखी दिनों में दिन की रोशनी में अंधेरा दूंदता आदमी है, राजपथ की तिलिस्मी दुनिया में अकेला असुरक्षित तन्त्र के खिलाफ निहत्थी लड़ाई लड़ रहा है और रक्त-सने कपड़ों, फटे जूतों, टूटी साइकिलों और खिलौनों में कौम की शिनाख्त कर रहा है उसकी रोटी की गंध टिफिन में बंद है और सपनों की


Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

Dr. Satya Narain Snehi



Handwritten signature
Principal
Govt. College Sanjauli
Shimla-06
Principal
Govt. College
Sanjauli, Shimla-6

37	महामारी काल में पड़ाई और छात्रों की समस्याएँ (शिमला शहर के सदरम में)	डॉ० महेन्द्र सिंह गादव	159
38	भारत में महिला उद्यमिता पुनर्नीतियों और सुझाव	पुनीत कुमार कर्नोजिया	163
39	गुरु नानक बाणी का संगीतात्मक अध्ययन - एक मूल्यांकन	डॉ० तेजिन्द्र गुलाटी अमृतपाल सिंह	168
40	छात्र जीवन और सोशल मीडिया का प्रयोग	अजली त्यागी डॉ० गुरमीत कौर	172
41	महादेवी वर्मा की साहित्यकार की आस्था तथा अन्य निबन्ध में जीवन दर्शन	डॉ० आशा देवी	177
42	पकज सुवीर की कहानियों में स्त्री स्वतंत्रता और अस्तित्व	डिन्सी जोर्ज डॉ० जी शांति	181
43	स्त्री-मुक्ति आंदोलन के प्रणेता महात्मा गांधी	डॉ० गंगाधर वानोडे	184
44	अनुसूचित जाति समुदाय के बीच प्रधानमंत्री जनधन योजना के जागरूकता एवं अभिग्रहण के स्तर का अध्ययन	गौरव रजन डॉ० सुजीत कुमार	187
45	भारतीय जनजाति समुदाय एवं विवाह प्रणाली	डॉ० हरिचरण मीना	191
46	राष्ट्रीय मानव अधिकार आयोग के कार्यों एवं उपलब्धियों का संक्षिप्त मूल्यांकन	नीतेश कुमार चतुर्वेदी डॉ० प्रदीप कुमार	195
47	स्वयं सहायता समूह के माध्यम से महिलाओं का आर्थिक उन्नयन	डॉ० पारस जैन वर्षा लोढा	199
48	युवा असंतोष कारण एवं परिणाम (परिवार एवं समाज के विशेष सदरम में)	प्रतिभा पत प्रो० इला साह	204
49	ढोस एवं तरल अपशिष्ट प्रबंधन केन्द्र में कार्यरत स्व-सहायता समूहों के सदस्यों की आर्थिक-सामाजिक जीवन स्तर का विश्लेषणात्मक अध्ययन	राम प्रसाद चन्दा रविन्द्र ब्रह्म	209
50	सुदामा पाण्डेय धूमिल के काव्य में समकालीन यथार्थ	डॉ० सत्यनारायण स्नेही	215
51	छोटानागपुर की महाभाषाणिक समाधियों अतीत और वर्तमान परंपरा	नीरज कुमार डॉ० सिद्धार्थ शंकर राय	220
52	भारत में दलीय प्रणाली स्वरूप, प्रवृत्ति तथा सुधार	डॉ० गिरांज प्रसाद वैरवा	224
53	समकालीन हिन्दी साहित्य में स्त्री विमर्श एवं महादेवी की साहित्यिकता	भावना अग्रवाल डॉ० विमला सिंह	228

Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

सुदामा पाण्डेय धूमिल के काव्य में समकालीन यथार्थ

□ डॉ० सत्यनारायण स्नेही*

शोध सारांश

साठोतरी हिन्दी कविता में सुदामा पाण्डेय धूमिल का अभ्युदय समकालीन जीवन में व्याप्त विसंगतियों एवं विद्रूपताओं का ईमानदारी एवं उत्तरदायी अभिव्यक्ति के साथ हुआ है। धूमिल का समूचा काव्य समकालीन परिवेश का प्रतिबिम्ब है, जहाँ एक ओर अभावग्रस्त जिंदगी के मर्मस्पर्शी चित्र हैं, वहीं दूसरी ओर समाज की स्थिति, गतिहीनता, जर्जरता, विकृतियों और विडम्बनाओं को बखूबी समझा जा सकता है। इसमें आम आदमी की पीड़ा को उसकी परिवेशगत सच्चाई के साथ सार्थक अभिव्यक्ति मिली है। उनकी कविता न आत्मपीडन अथवा आत्मरोदन है, न ही सैद्धांतिक ढांचे में बुना हुआ क्रांति-दर्शन, हालात को सही परिप्रेक्ष्य में देखने तथा उसका तदनु रूप साक्षात्कार कराने की एक सक्रिय अतर्दृष्टि है। धूमिल की कविता समकालीन जीवन के परिप्रेक्ष्य में आकी गई रचनात्मक तस्वीर है। जिसमें संवेदना को हालात की गहरी समझ के साथ ढाला गया है। इनके लिए जहाँ कविता भाषा में आदमी होने की तमीज है, वहीं कविता शब्दों की अदालत में/मुजरिम के कटघरों में खड़े बेकसूर आदमी का हलफनामा है। अतः कविता को अपने युग और समय का साक्षात्कार करने के लिए आदमियत का स्रोत निरंतर प्रवाहित होना चाहिए। इसी से कविता में लोकचेतना और लोकवेदना की समाज सापेक्ष तथा समय सापेक्ष अभिव्यक्ति होती है। धूमिल की कविता में अपने युग की संवेदना निश्चित रूप से मुखर हुई है जिसमें ग्रामीण जीवन का संघर्ष, अभावग्रस्ता और स्वतंत्र भारत की सरकार द्वारा गांव की उपेक्षा का सहज और जीवत चित्रण हुआ है समकालीन समाज, राजनीति और लोकतन्त्र का असली स्वरूप उभर कर आया है, जिसमें आजादी का मतलब तीन थके हुए रंग तथा ससद तेल की ऐसी घानी है, जिसमें आधा तेल और आधा पानी है। देश के अंतिम व्यक्ति से लेकर सर्वोच्च पदों पर आसीन राजनेताओं की स्थिति और कार्यप्रणाली को बड़ी बेबाकी से अभिव्यक्त किया है। धूमिल का काव्य अपने युग का दर्पण है और लोक जीवन के असल हालात का जीवन्त दस्तावेज है। जिसमें देश की सम्पूर्ण तस्वीर का रेखाचित्र खींचा गया है-

हिमालय से लेकर हिन्द महासागर तक

फैला हुआ जली हुई मिट्टी का ढेर है

जहाँ हर तीसरी जुबान का मतलब

नफरत है/साजिश है। अंधेरे हैं

यह मेरा देश है

और यह मेरे देश की जनता है

जनता क्या है

एक शब्द, सिर्फ एक शब्द है

कुहरा, कीचड़, कांच से

बना हुआ।

एक भेड़ है


जो दूसरों की ठण्ड के लिए

अपनी पीठ पर

ऊन की फसल ढो रही है।

Keywords : समकालीन यथार्थ, आदमी, विसंगति, विद्रूपता, संवेदना, राजनीति, लोकतन्त्र, लोकचेतना और लोकवेदना

Dr. Ram Lal Sharma



Wahli
Principal
Govt. College Sanjauli
Shimla-06
GOE, Govt. College
Sanjauli, Shimla-6

अर्थव्यवस्था, आतंकवाद और मानवाधिकार ।

डॉ. रामलाल शर्मा

कमोन्विक्ट प्रोफेसर अर्थशास्त्र विभाग CEO एक्टिवेट कालेज संजौली, शिमला

प्रारंभ में अंतर्राष्ट्रीय विधि में ये संकल्पना पूर्णतः पोषित थी कि राष्ट्र ही अंतर्राष्ट्रीय विधि के विषय हैं किन्तु कालांतर में उसमें परिवर्तन हुआ और राष्ट्रों के अतिरिक्त, व्यक्तियों को अधिकार और कर्तव्य दिये जाने के कारण उनको भी अंतर्राष्ट्रीय विधि का विषय माना जाने लगा।

द्वितीय विश्वयुद्ध के बाद यह निर्विवाद हो गया कि अंतर्राष्ट्रीय शांति व सुरक्षा उसी समय बनी रह सकती है जब व्यक्तियों की स्थिति में सुधार हो तथा उनके अधिकारों मूल स्वतंत्रताओं की अविच्छेदी हो। इसी कारण व्यक्तियों को राष्ट्रों द्वारा दिये गए कई अधिकारों में से एक अधिकार को 'मानवाधिकार' कहते हैं।

चूंकि मानव बुद्धिमान एवं विवेकशील प्राणी है। इसीकारण इसको कुछ ऐसे मूल तथा अहरणीय अधिकार प्राप्त रहते हैं जिसे सामान्यतया मानवाधिकार कहा जाता है। चूंकि ये अधिकार उनके अस्तित्व के कारण उनसे संबंधित रहते हैं अतः वे उनमें जन्म से ही विद्यमान रहते हैं। इस प्रकार मानवाधिकार सभी व्यक्तियों के लिए होते हैं, चाहे उनका मूलवंश, धर्म, लिंग तथा राष्ट्रियता कुछ भी हो। ये अधिकार सभी व्यक्तियों के लिए आवश्यक हैं क्योंकि वे उनकी गरिमा एवं स्वतंत्रता के अनुरूप हैं तथा शारीरिक, भौतिक, नैतिक, सामाजिक कल्याण के लिए सहायक होते हैं।

विभिन्न राष्ट्रों की सांस्कृतिक पृष्ठभूमि, उनके विचार तथा उनकी आर्थिक, सामाजिक और राजनैतिक स्थितियों में विभक्तता के कारण 'मानवाधिकार' इस शब्द को परिभाषित करना कठिन है। लेकिन यह कहा ही जा सकता है कि मानवाधिकार का विचार मानवीय गरिमा के विचार से संबंधित है। अतः उन सभी अधिकारों को मानवाधिकार कहा जा सकता है जो मानवीय गरिमा को बनाये रखने के लिए आवश्यक है।


विश्व के 1993 में मानवाधिकार सम्मेलन की घोषणा में यह कहा गया था कि सभी मानवाधिकार व्यक्ति में गरिमा और अंतर्निहित योग्यता से प्रेरित होते हैं और 'व्यक्ति' मानवाधिकार तथा मूल स्वतंत्रताओं का केन्द्रीय विषय है। पी. डी. वसु मानवाधिकारों को उन न्यूनतम अधिकारों के रूप में परिभाषित करते हैं, जिन्हें प्रत्येक व्यक्ति को, बिना किसी अन्य विचार के, मानव परिहार का सदस्य होने के फलस्वरूप राज्य या अन्य लोकप्राधिकारी के विरुद्ध धारण करना चाहिए।

मानवाधिकार अविभाज्य एवं अन्वेष्यताहित होते हैं इसलिए संक्षिप्त में भिन्न-भिन्न प्रकार के मानवाधिकार नहीं हो सकते फिर भी संयुक्त राष्ट्र प्रणाली के अंतर्गत मानवाधिकार के क्षेत्र में किसे गए विकास में यह स्पष्ट हो जाता है कि मानवाधिकारों को मुख्य रूप से दो भागों में बांटा जा सकता है। अर्थात्

- 1) सिविल एवं राजनैतिक अधिकार और
- 2) आर्थिक, सामाजिक एवं सांस्कृतिक अधिकार।

जब आतंक का अर्थव्यवस्था प्रयोग कतिपय उद्देश्यों को विशेष रूप में राजनैतिक उद्देश्यों को पूरा करने के लिए किया जाता है तब सामान्यतया उसको आतंकवाद कहा जाता है।

21	राष्ट्रवाद के परिपेक्ष्य में तेलुगु कविता	149
22	अर्थव्यवस्था, आतंकवाद और मानवाधिकार ।	152
23	INVESTIGATIONS ON <i>LYCOPUS EUROPAEUS</i> EXTRACTS FOR PROTECTIVE EFFECT AGAINST ULCERATIVE COLITIS IN RATS	156
24	HEPTOPROTECTIVE AND ANTIOXIDANT ACTIVITY OF LEMON GRASS D-GALACTOSMINE INDUCED OXIDATIVE STRESS IN RATS	165
25	PRELIMINARY PHARMACOLOGICAL SCREENING OF <i>HYGROPHILA AURICULATA</i> LEAVES FOR ANTI-INFLAMMATORY ACTIVITY IN RATS	174
26	INVESTIGATIONS OF <i>LYCOPUS EUROPAEUS</i> EXTRACT FOR WOUND HEALING POTENTIAL IN RATS	181


 Principal
 Govt. College Sanjauli
 Shimla-06
 Govt. College
 Sanjauli, Shimla-6